

B, Udaha-10

WRD Exp. (GW)
April 1966

REPLACEMENT

Well No.

J1

ITE ID-302337089171601
U. S. DEPT. OF THE INTERIOR

WELL SCHEDULE GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by LJ Source of data BWC Date 7-68 Map

State 41 28 County (or town) HARRISON 34

Latitude: 30^{deg} 23^{min} 37^{sec} N Longitude: 08^{deg} 9^{min} 17^{sec} W Sequential number: 1

Lat-long accuracy: 2⁰ T. 7 S. 13 W. Sec. 34, NE $\frac{1}{4}$, SW $\frac{1}{4}$, NW $\frac{1}{4}$

Local well number: J001CB3407S13W Other number:

Local use: 024 Owner or name: HERB SHEDDIX Address:

Overship: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Insttit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. (W) W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data; type: C

Freq. sampling: Pumpage inventory: yes no, period:

Aperture cards: yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 546 Meas. 3

Depth cased: 541 Casing type: ; Diam. 2

Finish: porous concrete, gravel w. (perf.), (screen), gallery, end, (C) concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. open perf., (O) screen, (P) sd. pt., (S) shored, (T) open hole, (W) other, (X) (Z) S

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (H) air rot., (J) percuss, (K) rotary, (L) reverse trenching, (M) driven, (N) drive wash, (O) other, (P) (T) (V) (W) (Z) H

Date Drilled: 962 Pump intake setting: ft

Driller:

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (V) other, (W) Deep, (X) Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. Trans. or meter no.

Descrip. MP ft above below LSD, Alt. MP

Alt. LSD: 70 Accuracy: (source)

Water Level: ft above below MP; Ft below LSD 23 Accuracy:

Date meag: 662 Yield: gpm Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm

Sp. Conduct K x 10⁶ Temp. °F Date sampled

Taste, color, etc.

PUNCHED and VERIFIED
ROLLA COMPUTATION BRANCH

Well No.

51

Latitude-longitude N
S
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section:

D Drainage Basin: 135 Subbasin:

Topo of well site: (D) (C) (E) (F) (R) (K) (L) depression, stream channel, dunes, flat, hilltop, sink, swamp.
(φ) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: T.M P.A
system series aquifer, formation, group

Lithology: 2.5 Origin: 3 Aquifer Thickness: ft

Length of well open to: ft 5 **Depth to top of:** ft 48.5

MINOR AQUIFER:
system series aquifer, formation, group

Lithology: Origin: Aquifer Thickness: ft

Length of well open to: ft **Depth to top of:** ft

Intervals Screened:


Depth to consolidated rock: ft Source of data:

Depth to basement: ft Source of data:

Surficial material: Infiltration characteristics:

Coefficient Trans: Coefficient Storage:

Coefficient Perm: Spec cap: Number of geologic cards:



Clay	215	485
Sand	66	551

Well No.

4

