

SITE ID- 302732089192101

WRD Exp. (GW)  
April 1966

Well No.

528

WELL SCHEDULE

392B

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by LJ Source of data BWC Date 7-68 Map \_\_\_\_\_

State 8 28 County (or town) HARRISON 24

Latitude: 30 27 32 N Longitude: 089 19 27 W Sequential number: 1

Lat-long accuracy: 2 T. 7 S. R. 13 W. Sec. 5 SW SW

Local well number: J028CC0507S13W Other number: \_\_\_\_\_ B & M

Local use: 024 Owner or name: \_\_\_\_\_

Owner or name: NODEL MORAN Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling:  Pumpage inventory: yes  no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 152 Meas. 3

Depth cased: (first perf.) 147 Casing type: \_\_\_\_\_; Diam. in 2

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. open end, gallery, other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air rot., (G) reverse, (H) trenching, (I) driven, (J) wash, (K) percussion, (L) rotary, (M) other H

Date Drilled: 962 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other D Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft below LSD 25 Accuracy: \_\_\_\_\_

Date meas: 862 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Well No.

8

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

03

Section: \_\_\_\_\_

D

Drainage Basin: \_\_\_\_\_

135

Subbasin: \_\_\_\_\_

24

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (C) (E) (F) (H) (K) (L) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR

AQUIFER: \_\_\_\_\_

system

series

TP

aquifer, formation, group

GF

Lithology: \_\_\_\_\_

UIS

Origin: \_\_\_\_\_

3

Aquifer Thickness: \_\_\_\_\_

ft

Length of well open to: \_\_\_\_\_ ft

35

37

38

39

Depth to top of: \_\_\_\_\_ ft

40

41

42

43

MINOR

AQUIFER: \_\_\_\_\_

system

series

aquifer, formation, group

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

ft

Length of well open to: \_\_\_\_\_ ft

51

53

54

55

Depth to top of: \_\_\_\_\_ ft

56

57

58

59

Intervals

Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft

60

61

62

63

Source of data: \_\_\_\_\_

64

Depth to basement: \_\_\_\_\_ ft

65

66

67

68

Source of data: \_\_\_\_\_

69

Surficial material: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

72

Coefficient Trans: \_\_\_\_\_

gpd/ft

Coefficient Storage: \_\_\_\_\_


Coefficient Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>

Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_

79



Clay	10	10
Sand	38	38
Clay	87	122
Sand	30	152

Well No. \_\_\_\_\_

