

SITE ID - 302506089192201

WRD Exp. (CW)  
April 1966

Well No. J 47

WELL SCHEDULE

39213

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by LJ Source of data BWC Date 7-68 Map \_\_\_\_\_

State 13 28 County (or town) HARRISON 4 24

Latitude: 30 25 06 N Longitude: 089 19 23 Sequential number: 1

Lat-long accuracy: 2 T. 7 S. 13 W. Sec 20 NW SW

Local well number: J047BWC2007S13W Other number: \_\_\_\_\_ B & M

Local use: 031 Owner or name: \_\_\_\_\_

Owner or name: C. LIZAWA Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_ H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes  no  period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes  no

Log data: \_\_\_\_\_ D

ROLLA COMPUTATION BRANCH  
PUNCHED and VERIFIED

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 264 Meas. accuracy \_\_\_\_\_ 3

Depth cased: \_\_\_\_\_ ft 249 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in \_\_\_\_\_ 2

Finish: (C) porous concrete, (F) gravel w. (per.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other \_\_\_\_\_ S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air perc., (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other \_\_\_\_\_ H

Date Drilled: 963 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 38

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cert, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other \_\_\_\_\_ Deep \_\_\_\_\_ D Shallow \_\_\_\_\_ 40

Power (type): nat \_\_\_\_\_ LP \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_ 41

Descrip. MP \_\_\_\_\_ above \_\_\_\_\_ ft below \_\_\_\_\_ LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 47

Water Level \_\_\_\_\_ Et above \_\_\_\_\_ below MP; Ft below LSD \_\_\_\_\_ 55 Accuracy: \_\_\_\_\_ 52 D

Date meas: \_\_\_\_\_ 163 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_ 61

Drawdown: \_\_\_\_\_ Et \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_ 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_ 77 79

Taste, color, etc. \_\_\_\_\_

Well No. J 47

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 35 Subbasin:   

(D) (C) (E) (F) (H) (K) (L)  
 Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
 well site: (Ø) (P) (S) (T) (U) (V)  
 offshore, pediment, hillside, terrace, undulating, valley flat 27

MAJOR AQUIFER: TP GF  
 system series aquifer, formation, group

Lithology: U.S Origin: 3 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft 15 Depth to top of: 244 ft

MINOR AQUIFER: \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_  
 system series aquifer, formation, group

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_ 64

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_ 69

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_ 72

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_ 76

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ 79



<u>Red clay</u>	<u>5</u>	<u>15</u>
<u>White sand</u>	<u>20</u>	<u>80</u>
<u>White soft mud</u>	<u>25</u>	<u>60</u>
<u>White sand</u>	<u>10</u>	<u>70</u>
<u>Hard Blue mud</u>	<u>174</u>	<u>244</u>
<u>Water strata</u>	<u>20</u>	<u>264</u>

Well No.

547

