

GPS  
LAT/LON G  
LAT - 30° 25' 55.64"  
LONG - 89° 16' 25.54"

SITG ID - 302600089153301

FORM 9-1642  
(1-68)

Well No. J132

**WELL SCHEDULE**  
GEOLOGICAL SURVEY

**392B**

WATER RESOURCES DIVISION  
VIDALIA QUAT

**PUNCHED**

4/7/98  
WL = 94.76  
T = 22°  
PH = 7.4  
COND = 201

MASTER CARD

Record by B.D. Source of data BOWIE Date 5-71 Map \_\_\_\_\_

State 556 28 County (or town) Hamber 26 24

Latitude: 30 26 00 N Longitude: 08 91 53 Sequential number: 1

Lat-long accuracy: 3 T 70 R 130 Sec 15 SE, NE, SE

Local well number: J132RID1907513W Other number: \_\_\_\_\_ B & M

Local use: 029 Owner or name: \_\_\_\_\_ Address: \_\_\_\_\_

Owner or name: DICK GAY Address: \_\_\_\_\_

Ownership: County, Fed Gov't, Cit., Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P, S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (X) \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. Well meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data: type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 357 Meas. rept \_\_\_\_\_ accuracy \_\_\_\_\_

Depth cased: (first perf.) \_\_\_\_\_ ft 337 Casing type: Galv; Diam. 4 1/2 in \_\_\_\_\_

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) multiple, (K) multiple, (L) none, (M) piston, (N) rot, (O) submerg, (P) turb, (Q) other \_\_\_\_\_

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot, (F) jetted, (G) air percuss, (H) reverse, (I) trenching, (J) drive, (K) drive wash, (L) other \_\_\_\_\_

Date Drilled: 9-7-1 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Sutton name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ above \_\_\_\_\_ ft below LSD, Alt. NP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level 76 ft above \_\_\_\_\_ below MP; Ft above \_\_\_\_\_ below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_

Date meas: 4-7-1 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10 \_\_\_\_\_ temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

132



