



LIFT

R= 42 \* T= A M \* Lift type 43# S \* Intake 44= \* Power type 45= E  
 Date 38= 10/15/1976 \* H.P. 46= 2. \*

LOGS

R= 198 \* T= A M \* Log 199# D \* Top 200= 0 \* Bot. 201= 535.  
 R= 198 \* T= A M \* Log 199# \* Top 200= \* Bot. 201= \*  
 R= 189 \* T= A \* 190# \* 191= M I S S D I S T \*

ANAL.

R= 114 \* T= A M \* Year 115# \* Type 120= \*

AQUIFERS

R= 90 \* T= A M \* 256# 1 \* Top 91= 465 \* Bot. 92= 535.  
 Unit ID 93= 1 2 2 M O C N \* Name of unit  
 R= 90 \* T= A M \* 256# \* Top 91= \* Bot. 92= \*  
 Unit ID 93= \* Name of unit \*

HYDRAULICS

R= 98 \* T= A M \* 99# 1 \* Unit tested 100= \*  
 R= 105 \* T= A M \* 99# 1 \* Test No. 106# \*  
 Transmissivity 107= \* T(gal/d)/ft  
 Hydraul. conduct. 108= \* P(gal/d)/ft<sup>2</sup>  
 Storage coeff. 110= \* Boundaries

3m. NW of Cuwas

Red surface sand	90	91
Clay	91	179
Sand	179	240
Clay	240	382
Sand	382	410
Clay	410	465
Sand	465	535

CODED

