

SITE ID - 302627089085101

FORM 9-1642 (1-68)

Well No. K 112

WELL SCHEDULE

393A

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by B.D. Source of data DOWC Date 4-71 Map _____

State 14 28 County Hannegan 29

Latitude: 30 26 27 N Longitude: 08 90 85 W Sequential number: 1

Lat-long accuracy: 5 7 12 13 Sec 13

Local well number: R1112 1307512W Other number: _____

Local use: 051 Owner or name: _____

Owner or name: EARL SWITZER Address: Q'Port

Ownership: (C) (F) (M) (N) (P) (S) (W) P

Use of water: (A) (B) (C) (D) (E) (F) (H) (I) (M) (N) (P) (R) 7

Stock, Inatit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other

Use of well: (A) (D) (G) (H) (I) (P) (R) (T) (U) (W) (X) (Z) 0

Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed

DATA AVAILABLE: Well data 0 Freq. W/L meas. 0 Field-aquifer char. 0

Hyd. lab. data: _____

Qual. water data; type: _____

Freq. sampling: 0 Pumpage inventory: 0 yes 0 no 0 period: _____

Aperture cards: _____ yes 0 no 0

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 122 ft Meas. 3

Depth cased: (first perf.) 112 ft Casing Type: _____; Diam. 2 in

Finish: (C) (F) (G) (H) (I) (P) (S) (T) (W) (X) (Z) 5

concrete, (perf.), gravel w. horiz. open perf., screen, sd. pt., shored, open hole, other

Method: (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (Z) 7

Drilled: air bored, cable, dug, hyd jetted, air reverse trenching, driven, drive wash, other

Date Drilled: 964 Pump intake setting: _____ ft

Driller: Hatt, Butane address _____

Lift (type): (A) (B) (C) (J) (L) (M) (N) (P) (R) (S) (T) (Z) 0 Deep 0 Shallow 0

air, bucket, cent, jet, (cent.) nose, piston, rot, submerg, turb, other

Power (type): (nat) (LP) (Trans. or meter no.) 0

diesel, elec, gas, gasoline, hand, gas, wind; H.P.

Descr. MP _____ ft above _____ ft below LSD, Alt. MP _____

Alt. LSD: 67 Accuracy: (source) _____

Water Level: 30 ft above MP; Ft. below LSD 30 Accuracy: _____

Date meas: 564 Yield: _____ gpm Method determined _____

Drawdown: _____ ft Accuracy: _____ Pumping period _____ hrs

QUALITY OF WATER DATA: Iron _____ ppm Sulfate _____ ppm Chloride _____ ppm Hard. _____ ppm

Sp. Conduct _____ K x 10 6 Temp. _____ °F Data sampled _____

Taste, color, etc. _____

PURCHASER'S BRANCH

K 112

Well No. K112

WELL SCHEDULE
Latitude-longitude

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section:

Drainage Basin: D Subbasin: 1335
Topo of well site: (D) (C) (E) (F) (H) (K) (L) (P) (S) (T) (U) (V)
depression, stream channel, dunes, flat, hilltop, sink, swamp, offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: system series T.P. aquifer, formation, group C.I.

Lithology: 4.5 Origin: 2 Aquifer Thickness: 32

Length of well open to: 170 Depth to top of: 100

MINOR AQUIFER: system series aquifer, formation, group

Lithology: 1.5 Origin: 5 Aquifer Thickness: 10

Length of well open to: 170 Depth to top of: 100

Intervals Screened: 2

Depth to consolidated rock: 60 Source of data:

Depth to basement: 65 Source of data:

Surficial material: 70 Infiltration characteristics:

Coefficient Trans: 73 Coefficient Storage: 78

Coefficient Perm: 73 Spec cap: 75 gpm/ft; Number of geologic cards: 79

Table with 2 columns: Description and Depth. Includes entries for 'yellow clay', 'yellow sand', 'blue clay', and 'blue sand' with depths ranging from 0-18 to 100-122.

Table with 2 columns: Description and Depth. Includes entries for 'yellow clay', 'yellow sand', 'blue clay', and 'blue sand' with depths ranging from 0-18 to 100-122.

Table with 2 columns: Description and Depth. Includes entries for 'yellow clay', 'yellow sand', 'blue clay', and 'blue sand' with depths ranging from 0-18 to 100-122.

