

SITE ID- 302626089092001  
FORM 9-1642  
(1-68)

Well No. K131  
393A

WELL SCHEDULE  
GEOLOGICAL SURVEY

U. S. DEPT. OF THE INTERIOR

WATER RESOURCES DIVISION

**PUNCHED**  
APR 5 197

MASTER CARD

Record by JCM Source of data BOWC Date 11-72 Map \_\_\_\_\_  
 State \_\_\_\_\_ County 28 (or town) Harrison \_\_\_\_\_  
 Latitude: 30° 26' 36" N Longitude: 089° 09' 28" W Sequential number: 1  
 Lat-long accuracy: 3 T 70 S R 120 E Sec 11, T. SE, S. SE  
 Local well number: K131PDI107S12W Other number: \_\_\_\_\_ E & M  
 Local use: 072 Owner or name: JOHN SWITZER Address: Landon

Ownership: County (C), Fed. Gov't (F), City (M), Corp or Co (N), Private (P), State Agency (S), Water Dist (W) P  
 Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Inatit, Unused, Reppure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. (D) \_\_\_\_\_ (G) \_\_\_\_\_ (H) \_\_\_\_\_ (P) \_\_\_\_\_ (R) \_\_\_\_\_ (T) \_\_\_\_\_ (U) \_\_\_\_\_ (W) \_\_\_\_\_ (X) \_\_\_\_\_ (Z) \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.   
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes  no  period: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_ yes   
 Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 273 ft Meas. accuracy 3  
 Depth cased (first perf.): 263 ft Casing type: Steel Diam. 4X2 in  
 Finish: (C) porous concrete, (F) gravel w. concrete, (G) gravel w. (screen), (H) horiz. gallery, (I) open perf., (J) screen, sd. pt., (K) shored, (L) open hole, (M) other  
 Method drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) percussion, (G) rotary, (H) reverse, (I) trenching, (J) driven, (K) wash, (L) other  
 Date drilled: 972 Pump intake setting: \_\_\_\_\_ ft  
 Driller: M & B  
 Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) turb., (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other S Deep  Shallow   
 Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P. 1 1/2 Trans. or meter no. T

Alt. LSD: 60 Accuracy: (source) \_\_\_\_\_  
 Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD 30 Accuracy: \_\_\_\_\_  
 Date meas: 772 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct: \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

WELL NO. 131





