

**WELL SCHEDULE**

**393A**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**MASTER CARD**

Record by J.A. Callahan Source of data Bow Date 1/2/74 Map \_\_\_\_\_

State \_\_\_\_\_ County (or town) Namitz 24

Latitude: 30° 27' 00" N Longitude: 08° 09' 09" W Sequential number: 1

Lat-long accuracy: 5 T 7 N 12 E Sec 11 NW NE

Local well number: K144-1107512W Other number: \_\_\_\_\_ B & M

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: PEYTON TURNER Address: RT. 3 Beyond Beyond Rd. Armi W. Landon

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (D) Stock, (E) Instit, (F) Unused, (G) Recharge, (H) Desal-P S, (I) Desal-other, (J) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed N

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

**WELL-DESCRIPTION CARD**

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 608 Meas. rept accuracy 3

Depth cased: \_\_\_\_\_ ft 588 Casing type: gal Diam. \_\_\_\_\_ in 2

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) open perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air rot., (H) reverse percussion, (I) rotary, (J) trenching, (K) driven, (L) drive wash, (M) other H

Date Drilled: 9.7.3 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other J Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. 1 T Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft. below LSD 48 Accuracy: \_\_\_\_\_

Date meas: 12/4/73 Yield: 073 gpm 10 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. K144

Latitude-longitude 115° W N  
S

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** **Physiographic Province:** 03 **Section:** \_\_\_\_\_

**Drainage Basin:** D **Subbasin:** 135

**Top of well site:** (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) \_\_\_\_\_

**MAJOR AQUIFER:** TP **aquifer, formation, group:** GF

**Lithology:** US **Origin:** 3 **Aquifer Thickness:** 70 ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** 540 ft

**MINOR AQUIFER:** \_\_\_\_\_ **aquifer, formation, group:** \_\_\_\_\_

**Lithology:** \_\_\_\_\_ **Origin:** \_\_\_\_\_ **Aquifer Thickness:** \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**Intervals Screened:**


**Depth to consolidated rock:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Depth to basement:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Surficial material:** \_\_\_\_\_ **Infiltration characteristics:** \_\_\_\_\_

**Coefficient Trans:** \_\_\_\_\_ **gpd/ft:** \_\_\_\_\_ **Coefficient Storage:** \_\_\_\_\_

**Coefficient Perm:** \_\_\_\_\_ **gpd/ft<sup>2</sup> ; Spec cap:** \_\_\_\_\_ **gpm/ft; Number of geologic cards:** \_\_\_\_\_



TOP SOIL	0	20
TOP SH-0	20	40
Blk clay	40	200
gray shd	200	200
Blk sand blk clay	240	350
gray shd	350	380
blk clay	380	540
gray shd (base)	540	590
FINE gray shd	590	610

