

1/81 WTO

TRANSMITTED FOR ADP

Recorded by JM

U.S. GEOLOGICAL SURVEY

Well No. K206

Date 3/15/84

WATER RESOURCES DIVISION

E-Log No.

MISSISSIPPI DISTRICT

County Harrison

WELL RECORD

393A

Site ID 3.02441.08911540.1 R=0* T=A* 2=W*

Data reliab. 3= X 0 Report agency 4=USGS* Dist. 6=28* 7=28* Co. 8=047*

Lat. 3.3 Long. 9=3.02441* 10=0.891154* Well No. 12=K206*

Location 13=SW NENW 28 T 07 S R 12 W* Alt. 16=40*

Hyd. Unit (OWDC) 20=03170009* Date 21=0410311978*

Well use 23=W* Water Use 24=H* Hole depth 27=645* Well depth 28=645*

WL 30=3.0* Date 31=0410311978* Source 33=D*

Status 273= Project No. 5=047*

R=158* T=A* Date 159#0410311978* Owner No.

Owner 161#WAYNE MAY*

R=192* T=A* Date 193# Temp. 196#00010* 197=

R=192* T=A* Date 193# Cond. 196#00095* 197=

R=192* T=A* Date 193# pH 196#00400* 197=

R=58* T=A* 59#1* Date 60#0410311978* Remarks

Drlg. 63=29.0* Name Coastal Drlg. Method 65=H* Finish 66=S*

R=76* T=A* 59#1*

Top csgn. 77#0* Bot. csgn. 78=635* Diam. 79#2*

R=76* T=A* 59#1*

Top csgn. 77# Bot. csgn. 78= Diam. 79#

R=82* T=A* 59#1* Top 83#635* Bottom 84=645*

Type 85=S* Diam. 87=2* Size 88=

R=82* T=A* 59#1* Top 83# Bottom 84=

Type 85= Diam. 87= Size 88=

R=146* T=A* 147#1* Q 150=15* Q/S 272=

134 flows 146 pumped

LIFT

R=42* T=A* Lift type 43# J* Intake 44= Power type 45= E*
 Date 38= 04/03/1978 H.P. 46= 1

LOGS

R=198* T=A* Log 199# D* Top 200= 0* Bot 201= 64.5*
 R=198* T=A* Log 199# * Top 200= * Bot 201= *
 R=189* T=A* E-Log No. 190# * 191= M.I.S.S. D.I.S.T.

ANAL

R=114* T=A* Year 115# * 117= * 120= *

AQUIFERS

R=90* T=A* 256# 1* Top 91= 6.05* Bot 92= *
 Unit ID 93= 122MΦCN * Name of Unit
 R=90* T=A* 256# 1* Top 91= * Bot 92= *
 Unit ID 93= * Name of Unit

HYDRAULICS

R=98* T=A* 99# 1* Unit tested 100= * 103= *
 R=105* T=A* 99# 1* Test No. 106# *
 107= * Transmissivity (gal/d)/ft
 108= * Hydraul. cond. (gal/d)/ft²
 110= * Storage coeff. Boundaries

R=121* T=A* Yr Begin 122# * Network 258# *

Water Level Data Collection (1)

description of formations encountered	from	to
Top Soil	1	3
Red Clay	3	25
Soft Blue Clay	25	60
fine white sand	60	90
Soft Blue Clay	90	230
hard Blue Clay	230	490
fine white sand	490	530
hard Blue Clay	530	570
fine white sand	570	605
fine white sand	605	645

