FORM 9-1642
(1-68)

Well No. L 330

PUNCHED APR 11 1972

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR — GEOLOGICAL SURVEY — WATER RESOURCES DIVISION

MASTER CARD

Record by B.D. Source of data BOWC Date 7-71 Map

State 28 County (or town) Harrison 24

Latitude: 30 27 00 N (deg, min, sec) Longitude: 089 03 08 (degrees, min, sec) Sequential number: 1

Lat-long accuracy: 3 T 7 S R 11 W Sec 12, ¼, NW ¼, SW ¼ B & M

Local well number: L 330 BC 12 07 S 11 W Other number: ~~Dedeaux Utl~~

Local use: 088 Owner or name: SUB-DIV.

Owner or name: ~~LOREN D HEIGHTS~~ Address: Biloxi

Ownership: (C) County, (F) Fed Gov't, (M) City, (N) Corp or Co, (P) Private, (S) State Agency, (W) Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) P S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Repressure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other SUB-DIV P

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed. W

DATA AVAILABLE: Well data Freq. W/L meas.: Ø Field aquifer char.

Hyd. lab. data:

Qual. water data; type: USGS 6/7/72 C

Freq. sampling: Pumpage inventory: yes no, period:

Aperture cards: yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: ft 742 Meas. rept accuracy 3

Depth cased: (first perf.) 678'6" ft 678 Casing type: Blk Pipe; Diam. 8X6 in 8

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse rotary, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 971 Pump intake setting: ft

Driller: Switzel (name), address

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple (cent.), (M) multiple (turb.), (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other Deep Shallow

Power (type): diesel, elec, nat gas, gasoline, hand, LP gas, wind; H.P. 20 V Trans. or meter no.

Descrip. MP ft above below LSD, Alt. MP

Alt. LSD: 25 Accuracy: (source) CIS 3

Water Level 20 ft above below MP; Ft above below LSD 20 Accuracy: D

Date meas: 571 Yield: gpm 350 Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm

Sp. Conduct 420 K x 10^6 3 Temp. °F 265 Date sampled 6/7/72 672

Taste, color, etc. Clear Ph 8.4

Well No. L 330

Well No. L330

Latitude-longitude N S d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD (1–19) Physiographic Province: 03 (20–21) Section:

D (22) Drainage Basin: 135 (23–25) Subbasin: (26)

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (O) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat (27)

MAJOR AQUIFER: system, series TP (28–29) aquifer, formation, group GF (30–31)

Lithology: US (32–33) Origin: 3 (34) Aquifer Thickness: 85 ft

85 (35–37) Length of well open to: 63'6" ft 63 (38–40) Depth to top of: ft 657 (41–43)

MINOR AQUIFER: system, series (44–45) aquifer, formation, group (46–47)

Lithology: (48–49) Origin: (50) Aquifer Thickness: ft

(51–53) Length of well open to: ft (54–56) Depth to top of: ft (57–59)

Intervals Screened: .008 S.S.

Depth to consolidated rock: ft (60–63) Source of data: (64)

Depth to basement: ft (65–68) Source of data: (69)

Surficial material: (70–71) Infiltration characteristics: (72)

Coefficient Trans: gpd/ft (73–75) Coefficient Storage: (76–78)

Coefficient Perm: gpd/ft²; Spec cap: gpm/ft; Number of geologic cards: (79)

Storage
10,000 gal Tank
at Each location
Total 20,000

218' 8"

461' 6"

63' 6" screen

Sd 657.742



Well No. L330

GPO 937-142