

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by JCM Source of data BOWC Date 12-71 Map \_\_\_\_\_

State 28 County Harrison 24

Latitude: 30 26 37 N Longitude: 0 89 06 45 Sequential number: 1

Lat-long accuracy: 5 T 7 N 11 E Sec 8

Local well number: 4343 0807511W Other number: \_\_\_\_\_

Local use: 188 Owner or name: \_\_\_\_\_

Owner or name: CARL GRENshaw Address: Gulfport

Ownership: (C) County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, (T) Instit, (U) Unused, (V) Recharge, (W) Desal-P S, (X) Desal-other, (Y) Other H

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (I) Obs, (J) Oil-gas, (K) Recharge, (L) Test, (M) Unused, (N) Withdraw, (O) Waste, (P) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char:

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  Aperture cards:  Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 515 ft Meas. 3

Depth cased; (first perf.): 505 ft Casing type: Half Diam. 2 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) percuss, (K) rot., (L) air perf., (M) screen, (N) sd. pt., (O) shored, (P) open hole, (Q) other S

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) reverse percuss, (G) rotary, (H) trenching, (I) driven, (J) drive wash, (K) other H

Date Drilled: 9-7-1 Pump intake setting: \_\_\_\_\_ ft

Driller: R.J. MOORE name address

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other Deep Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 1 S Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 50 Accuracy: CI 5

Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft below LSD Accuracy: \_\_\_\_\_

Date meas: 0-2-1 Yield: \_\_\_\_\_ gpm Method determined: \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNCHED

Well No.

L 343

Latitude-longitude \_\_\_\_\_  
d m s d m s

BINDER

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD 03 Section: \_\_\_\_\_  
Physiographic Province: \_\_\_\_\_

D Drainage Basin: \_\_\_\_\_  
22 23 25 26

(D) (C) (E) (F) (H) (K) (L)  
Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
well site: \_\_\_\_\_ (P) (S) (T) (U) (V) \_\_\_\_\_  
offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: \_\_\_\_\_ T.P. \_\_\_\_\_ G.F. \_\_\_\_\_  
system series aquifer, formation, group

Lithology: \_\_\_\_\_ U.S. Origin: \_\_\_\_\_ 3 Aquifer Thickness: \_\_\_\_\_ 4.0 ft

4.0 Length of well open to: \_\_\_\_\_ ft. 1.0 Depth to top of: \_\_\_\_\_ ft. 4.80

MINOR AQUIFER: \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_  
system series aquifer, formation, group

Lithology: \_\_\_\_\_ \_\_\_\_\_ Origin: \_\_\_\_\_ \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

\_\_\_\_\_ Length of well open to: \_\_\_\_\_ ft. \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft. \_\_\_\_\_

Intervals Screened: 2" S.S.


Depth to consolidated rock: \_\_\_\_\_ ft. \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft. \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft. \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft.<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft.; Number of geologic cards: \_\_\_\_\_



Well No. L 343