

SITE ID - 30270-005/3101

WRD Exp. (GW)  
April 1966

Well No. M 112

WELL SCHEDULE

394A.

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD Brown & Reel

Record by J. Shell Source of data \_\_\_\_\_ Date 11/68 Map \_\_\_\_\_

State 28 County (or town) Harrison 24

Latitude: 302340N Longitude: 0815731 Sequential number: 1

Lat-long accuracy: 3 T. 7 R. 10 Sec. 35 SW NW

Local well number: M 112 CB 3507 S 10 W Other number: \_\_\_\_\_ B & M

Local use: 088 Owner or name: \_\_\_\_\_

Owner or name: WIPPER & MARTIN Address: W. Beach Drive

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed N

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft Meas. accuracy 24

Depth cased: \_\_\_\_\_ ft Casing type: \_\_\_\_\_ Diam. 2 1/2 in 2

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (phi) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other 31

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: \_\_\_\_\_ Pump intake setting: \_\_\_\_\_ ft 36

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple (cent.), (M) multiple (turb.), (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other 39 Deep 40

Power (type): nat diesel, elec, gas, gasoline, hand, gas, wind; LP 41 Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_ ft below LSD

Alt. LSD: 21.38 Accuracy: 21 47

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD Accuracy: \_\_\_\_\_ 52

Date meas: 3:39 Yield: \_\_\_\_\_ gpm Method determined 61

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs 66

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. 78 3/4 °F Date sampled 3 3 9 77

Taste, color, etc. \_\_\_\_\_

Well No. M 112

Well No. M 112

Latitude-longitude N  
S  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: 20 21

D Drainage Basin: 135 Subbasin: 22 23 24 25

Topo of well site: (D) (C) (E) (F) (H) (K) (L) depression, stream channel, dunes, flat, hilltop, sink, swamp,  
(Ø) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat 27

MAJOR AQUIFER: T.P. G.F.  
system series 28 29 aquifer, formation, group 30 31

Lithology: V.S. Origin: 3 Aquifer Thickness: 32 33 34 ft

35 37 Length of well open to: 38 40 ft 41 43 ft Depth to top of: 34

MINOR AQUIFER:        
system series 44 45 aquifer, formation, group 46 47

Lithology:    Origin:    Aquifer Thickness: 48 49 50 ft

51 53 Length of well open to: 54 56 ft 57 59 ft Depth to top of: 50

Intervals Screened:


Depth to consolidated rock:    ft    Source of data: 60 63 64

Depth to basement:    ft    Source of data: 65 68 69

Surficial material:    Infiltration characteristics: 70 71 72

Coefficient Trans:    gpd/ft    Coefficient Storage: 73 75 76 78

Coefficient Perm:    gpd/ft<sup>2</sup>; Spec cap:    gpm/ft; Number of geologic cards: 79



Well No.

M 112