

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by LJ Source of data BWC Date 8-68 Map \_\_\_\_\_

State 28 County (or town) HARRISON 24

Latitude: 30<sup>deg</sup> 27<sup>min</sup> 30<sup>sec</sup> N Longitude: 08<sup>deg</sup> 85<sup>min</sup> 33<sup>sec</sup> W Sequential number: 1

Lat-long accuracy: 2<sup>20'</sup> T. 7<sup>N</sup> R. 9<sup>E</sup> Sec 4 SE SW B & M

Local well number: 11256DC0407509W Other number: \_\_\_\_\_

Local use: 088 Owner or name: \_\_\_\_\_

Owner or name: GLEN DUCKETT Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Fire, (F) Dom, (G) Irr, (H) Med, (I) P S, (J) Rec, (K) Stock, (L) Insitit, (M) Unused, (N) Reppure, (O) Recharge, (P) Desal-P S, (Q) Desal-other, (R) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft. 791 Meas. rept accuracy 3

Depth cased: \_\_\_\_\_ ft. 771 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 2

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) horiz. screen, (H) w. gallery, (I) open end, (J) percuss, (K) air rot., (L) air rot., (M) air rot., (N) air rot., (O) air rot., (P) air rot., (Q) air rot., (R) air rot., (S) air rot., (T) air rot., (U) air rot., (V) air rot., (W) air rot., (X) air rot., (Y) air rot., (Z) air rot. S

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd, (E) jetted, (F) air rot., (G) percuss, (H) rotary, (I) air rot., (J) air rot., (K) air rot., (L) air rot., (M) air rot., (N) air rot., (O) air rot., (P) air rot., (Q) air rot., (R) air rot., (S) air rot., (T) air rot., (U) air rot., (V) air rot., (W) air rot., (X) air rot., (Y) air rot., (Z) air rot. H

Date Drilled: 968 Pump intake setting: \_\_\_\_\_ ft. \_\_\_\_\_

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) multiple, (H) multiple, (I) multiple, (J) multiple, (K) multiple, (L) multiple, (M) multiple, (N) multiple, (O) multiple, (P) multiple, (Q) multiple, (R) multiple, (S) multiple, (T) multiple, (U) multiple, (V) multiple, (W) multiple, (X) multiple, (Y) multiple, (Z) multiple.  Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 1 Trans. or meter no. 5

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) 3

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; \_\_\_\_\_ ft below LSD Accuracy: 5

Date meas: 368 Yield: \_\_\_\_\_ gpm 6 Method determined \_\_\_\_\_


Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. 11256



HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD <sup>19</sup> Physiographic Province: 03 Section: \_\_\_\_\_

<sup>22</sup> D Drainage Basin: 135 <sup>23 25</sup> Subbasin: \_\_\_\_\_ <sup>26</sup>

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (C) (E) (F) (H) (K) (L) (O) (P) (S) (I) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ <sup>27</sup> F

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TP <sup>28 29</sup> aquifer, formation, group GF <sup>30 31</sup>

Lithology: \_\_\_\_\_ <sup>32 33</sup> US Origin: \_\_\_\_\_ <sup>34</sup> 3 Aquifer Thickness: 90 ft

Length of well open to: \_\_\_\_\_ ft 20 <sup>38 40</sup> Depth to top of: \_\_\_\_\_ ft 704 <sup>41 43</sup>

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ <sup>44 45</sup> aquifer, formation, group \_\_\_\_\_ <sup>46 47</sup>

Lithology: \_\_\_\_\_ <sup>48 49</sup> Origin: \_\_\_\_\_ <sup>50</sup> Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ <sup>54 56</sup> Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ <sup>57 59</sup>

Intervals Screened: 8 gals.


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ <sup>60 63</sup> Source of data: \_\_\_\_\_ <sup>64</sup>

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ <sup>65 68</sup> Source of data: \_\_\_\_\_ <sup>69</sup>

Surficial material: \_\_\_\_\_ <sup>70 71</sup> Infiltration characteristics: \_\_\_\_\_ <sup>72</sup>

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ <sup>73 75</sup> Coefficient Storage: \_\_\_\_\_ <sup>76 78</sup>

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ <sup>79</sup>



Well No. M 256