

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by J. Shell Source of data BOINC Date 11/68 Map \_\_\_\_\_

State 28 County Harrison (or town) 28

Latitude: 30 23 51 N Longitude: 08 85 14 9 Sequential number: 7

Lat-long accuracy: 4 T. 7 R. 9 Sec 34, NW, SE

Local well number: M 273 Other number: \_\_\_\_\_

Local use: 088 Owner or name: Packing Co

Owner or name: SEA COAST PKG. C Address: EAST END HWY. 90  
Biloxi, Ms.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Fire, (F) Dom, (G) Irr, (H) Med, (I) P S, (J) Rec, (K) Stock, (L) Instit, (M) Unused, (N) Repressure, (O) Recharge, (P) Desal-P S, (Q) Desal-other, (R) Other U

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed U

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes, no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 995 Meas. rept 3

Depth cased: 932 Casing type: gal. steel; Diam. 6x4 in 6

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horz. gallery, (I) open end, (J) open perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other 5

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air rot., (H) reverse percussion, (I) trenching, (J) driven, (K) drive wash, (L) other H

Date Drilled: 968 Pump intake setting: \_\_\_\_\_ ft 38

Driller: \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg, (K) turb., (L) other  Deep  Shallow 40

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. 7 1/2 Trans. or meter no. U

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: +10 ft above MP; Ft below LSD +10 Accuracy: \_\_\_\_\_

Date meas: 468 Yield: \_\_\_\_\_ gpm 105 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. M 273

Well No. M 0273

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 03 Section: \_\_\_\_\_

D <sup>19</sup> Drainage Basin: 13S <sub>23 25</sub> Subbasin: \_\_\_\_\_ <sub>26</sub>

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ <sub>27</sub> F

**MAJOR AQUIFER:** \_\_\_\_\_ system \_\_\_\_\_ series TM <sub>28 29</sub> \_\_\_\_\_ aquifer, formation, group PA <sub>30 31</sub>

Lithology: \_\_\_\_\_ <sub>32 33</sub> Origin: \_\_\_\_\_ <sub>34</sub> 3 3 Aquifer Thickness: 156 ft

156 <sub>35 37</sub> Length of well open to: \_\_\_\_\_ ft 63 <sub>38 40</sub> Depth to top of: \_\_\_\_\_ ft 839 <sub>41 43</sub>

**MINOR AQUIFER:** \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ <sub>44 45</sub> \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_ <sub>46 47</sub>

Lithology: \_\_\_\_\_ <sub>48 49</sub> Origin: \_\_\_\_\_ <sub>50</sub> \_\_\_\_\_ 1 1 Aquifer Thickness: \_\_\_\_\_ ft

\_\_\_\_\_ <sub>51 53</sub> Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ <sub>54 56</sub> Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_ <sub>57 59</sub>

Intervals Screened: 4" SS on pipe

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ <sub>60 63</sub> Source of data: \_\_\_\_\_ <sub>64</sub> \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ <sub>65 68</sub> Source of data: \_\_\_\_\_ <sub>69</sub> \_\_\_\_\_

Surficial material: \_\_\_\_\_ <sub>70 71</sub> Infiltration characteristics: \_\_\_\_\_ <sub>72</sub> \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft <sub>73 75</sub> Coefficient Storage: \_\_\_\_\_ <sub>76 78</sub> \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ <sub>79</sub> \_\_\_\_\_

East End of Hwy. 90 - Biloxi.



Well No. M 273