

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**PUNCHED**  
JAN 15 1973

MASTER CARD

Record by JCM Source of data BOWC Date 7-72 Map \_\_\_\_\_

State 28 County (or town) Harrison 24

Latitude: 30° 26' 57" N Longitude: 088° 53' 25" W Sequential number: 1

Lat-long accuracy: 30 T 70 R 90 S Sec 9 NW SE

Local well number: M400BD0907509W Other number: \_\_\_\_\_ B & M

Local use: 209 Owner or name: \_\_\_\_\_

Owner or name: M. L. MORGAN Address: Biloxi

Ownership: County, Fed Gov't, (M) Corp or Co, Private, State Agency, Water Dist P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_

Stock, Inact, Unused, Repressure, Recharge, Desal-P.S., Desal-other, Other H

Use of (A) (D) (G) (H) (P) (R) (T) (U) (W) (X) (Z) well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes  no

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 300 Meas. rept accuracy 3

Depth cased: (first perf.) \_\_\_\_\_ ft 350 Casing type: galv Diam. \_\_\_\_\_ in 2

Finish: concrete, gravel w. (perf.), (screen), gallery, end, other S

Method: (A) bored, (B) cable, (C) dug, (D) hyd jetted, (H) rot., (J) percussion, (P) air, (R) reverse, (T) trenching, (V) driven, (W) wash, other H

Date Drilled: 972 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Coastal name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other J Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 1 Trans. or meter no. S

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) 3

Water Level \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD 60 Accuracy: \_\_\_\_\_

Date meas: 172 Yield: \_\_\_\_\_ gpm 13 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

M400

Latitude-longitude \_\_\_\_\_

HYDROLOGIC CARD

PHYSIOGRAPHIC PROVINCE

Province: \_\_\_\_\_

03

Section: \_\_\_\_\_

D

Drainage Basin: \_\_\_\_\_

135

Subbasin: \_\_\_\_\_

26

Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp;

well site: (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

system

series

TP

aquifer, formation, group

GF

Lithology: \_\_\_\_\_

US

Origin: \_\_\_\_\_

3

Aquifer Thickness: \_\_\_\_\_

40

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

310

MINOR AQUIFER:

system

series

aquifer, formation, group

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

Intervals Screened:

2" SS.

Depth to consolidated rock: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_


gpd/ft

Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_



1400