

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by B.D. Source of data Bowc Date 2-71 Map \_\_\_\_\_

State 28 County (or town) Narrisa 29

Latitude: 302530N Longitude: 0885335 Sequential number: 1

Lat-long accuracy: 3 T 7 S R 9 Sec 22 SW SE

Local well number: M 411 CD 2207509W Other number: \_\_\_\_\_ B & M

Local use: 088 Owner or name: \_\_\_\_\_

Owner or name: JAMES S SHORT Address: Biloxi

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) (T) (U) (V) (W) (X) (Y) (Z) H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. (D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes  no

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 362 Meas. 3

Depth cased: (first perf.) \_\_\_\_\_ ft 352 Casing type: Galv. Diam. \_\_\_\_\_ in 2

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. (I) open (J) screen, (K) gallery, (L) end, (M) perf., (N) screen, (O) sd. pt., (P) shored, (Q) open hole, (R) other 5

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) percussion, (G) rotary, (H) reverse trenching, (I) driven, (J) drive wash, (K) other 4

Date Drilled: 970 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Sintzer name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent. jet, (D) multiple, (E) multiple, (F) none, (G) piston, (H) rot, (I) submerg, (J) turb, (K) other  Deep  Shallow 40

Power (type): diesel, elec gas, gasoline, hand, gas, wind; H.P. 2 Trans. or meter no. 5

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) 3

Water Level 276" above MP; Ft below LSD 28 Accuracy: \_\_\_\_\_

Date meas: 170 Yield: \_\_\_\_\_ gpm 5 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. M 411

Well No. M

Latitude-longitude \_\_\_\_\_  
d m s                    d m s

HYDROGEOLOGIC CARD

Province: 03 Section: \_\_\_\_\_  
Drainage Basin: D Subbasin: 138

Top of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp,  
(C) (E) (F) (H) (K) (L)  
(M) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: TP GF  
system series aquifer, formation, group  
Lithology: US Origin: 3 Aquifer Thickness: 18 ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: 344 ft

MINOR AQUIFER: \_\_\_\_\_  
system series aquifer, formation, group  
Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: 00855


Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surfficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. M411