

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by WTD Source of data Bowc Date 3/69 Map \_\_\_\_\_

State 28 County Narmon (or town) 24

Latitude: 30° 21' 06" N Longitude: 08° 91' 44" S Sequential number: 7

Lat-long accuracy: 4 sec 8 min 13 sec 12 sec SW NE

Local well number: N035CA1208513W Other number: \_\_\_\_\_ B & M

Local use: 024 Owner of name: \_\_\_\_\_

Owner of name: A. J. ORTIZ Address: Rt#1 Pasa Christian

Overship: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, (B) Com, (C) Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (D) Stock, Instat, (E) Unifed, (F) Pressure, Recharge, Desal-P S, Desal-other, Other A

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  no. period: \_\_\_\_\_

Aperture cards:  yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 819 ft Meas. accuracy 3

Depth cased: 799 ft Casing type: \_\_\_\_\_; Diam. in 3

Finish: (C) porous, (F) gravel w. (G) gravel w. (H) horiz. (I) open (J) perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other 5

Method: (A) air, (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air, (G) reverse, (H) trenching, (I) driven, (J) drive rot., (K) percusson, (L) rotary, (M) wash, (N) other A

Date Drilled: 8/63 9/63 Pump intake setting: \_\_\_\_\_ ft

Driller: Sutter

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other  Deep  Shallow 40

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P.  Trans. or meter no. \_\_\_\_\_

Alt. LSD: 10 ft above MP Accuracy: 5' 3

Water Level: 8/63 8/63 ft above MP; Ft below LSD +22 Accuracy: \_\_\_\_\_ 4

Date meas: 8/63 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. N 35

Well No. N35

Latitude-longitude \_\_\_\_\_  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: \_\_\_\_\_ Section: 0.3

Drainage Basin: D Subbasin: 1-3-5

Topo of well site: (D) (C) (B) (F) (H) (K) (L) (P) (S) (T) (U) (V) \_\_\_\_\_  
depression, stream channel, dunes, flat, hilltop, sink, swamp, offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TM \_\_\_\_\_ aquifer, formation, group MZ

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: 78 ft.  
Length of well open to: \_\_\_\_\_ Depth to top of: \_\_\_\_\_

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_  
Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft.

Length of well open to: \_\_\_\_\_ Depth to top of: \_\_\_\_\_

Interval Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft. Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft. Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft. Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_




Table with multiple rows and columns, containing various data points and labels. The text is mostly illegible due to the quality of the scan and the orientation of the page. Some visible labels include 'Yield', 'pore', and 'water'.

N35