

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**PUNCHED**  
**APR 5 1973**

MASTER CARD

Record by JCM Source of data BOWC Date 11-72 Map \_\_\_\_\_  
 State 28 County Harrison 24  
 Latitude: 302032N Longitude: 0891503 Sequential number: 1  
 Lat-long accuracy: 2 T 3 S 13 E 16 W 5 S 13 W  
 Local well number: N 076 DC 16 085 13 W Other number: \_\_\_\_\_  
 Local use: 024 Owner or name: \_\_\_\_\_

Owner of name: MERLENE NECAISE Address: Dexida  
 Ownership: County, Fed Gov't, City, Corp or Co, Private, State, Agency, Water Dist P  
 Use of: Air-cond, Bottling, Com, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: H  
 Stock, Instat, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H  
 Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.   
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no, period: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_ yes  no   
 Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 556 ft Meas. rept. accuracy 3  
 Depth cased: 546 ft Casing type: gab Diam. in 2  
 Finish: porous concrete, gravel v. screen, gravel w. gallery, horiz. end, open perf., screen, sd. pt., shored, open hole, other 3  
 Method: Drilled: air bored, cable, dug, hyd jetted, air rot., percussion, rotary, other H  
 Date Drilled: 972 Pump intake setting: \_\_\_\_\_ ft

Driller: Sutter  
 Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other J Deep  Shallow   
 Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P.  Trans. or meter no. \_\_\_\_\_  
 Descrip. MP \_\_\_\_\_ ft above LSD. Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_  
 Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD 720 Accuracy: \_\_\_\_\_  
 Date meas: 972 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

Well No. N 76

Well No. \_\_\_\_\_

Latitude-longitude N  
S  
d m s d m s

# HYDROGEOLOGIC CARD

SAME AS MASTER CARD

Physiographic Province: \_\_\_\_\_

03  
20 21

Section: \_\_\_\_\_

D  
22

Drainage Basin: \_\_\_\_\_

135  
23 23

Subbasin: \_\_\_\_\_

\_\_\_\_\_

Topo of well site: (D) depression, (C) stream channel, (B) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (P) offshore, (S) pediment, (T) hillside, (U) terrace, (V) undulating, valley flat

MAJOR AQUIFER: \_\_\_\_\_

TM  
28 29

aquifer, formation, group

MZ  
30 31

Lithology: \_\_\_\_\_

US  
32 33

Origin: \_\_\_\_\_

3  
34

Aquifer Thickness: \_\_\_\_\_

73 ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

483  
35 37 38 40

MINOR AQUIFER: \_\_\_\_\_

system

series

aquifer, formation, group

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

ft

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

2" SS

Depth to consolidated rock: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_


gpd/ft

Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_

N76