

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by WJW Source of data Bove Date 3/69 Map 24

State 28 County (or town) Harrison 24

Latitude: 30^{deg} 18^{min} 57^{sec} N Longitude: 089^{deg} 17^{min} 03^{sec} W Sequential number: 1

Lat-long accuracy: 4 T. 8 R. 13 Sec 27 (P) 24

Local well number: N211 2708 513W Other number: B & M

Local use: 024 Owner or name: P L GROSSIMAN Address: New Orleans, La.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Reppure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other N

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: yes no period:

Aperture cards: yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 331 ft Meas. 3 accuracy 24

Depth cased; (first perf.): 321 ft Casing type: galv. Diam. 2 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other 5

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) air jetted, (G) air percussion, (H) reverse, (I) trenching, (J) driven, (K) drive wash, (L) other H

Date Drilled: 1/69 969 Pump intake setting: 30 ft

Driller: Sutter name address

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple (cent.), (F) multiple (turb.), (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other Deep Shallow 40

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. Trans. or meter no. 41

Descrip. MP 10 ft above LSD, Alt. MP 3 Accuracy: 0.5

Alt. LSD: 10 ft above MP; Ft below LSD 41 Accuracy: 0.5

Water Level Date meas: 169 Yield: 169 gpm Method determined 61

Drawdown: 42 ft Accuracy: 65 Pumping period 66 hrs 68

QUALITY OF WATER DATA: Iron ppm 69 Sulfate ppm 70 Chloride ppm 71 Hard. ppm 72

Sp. Conduct 73 K x 10⁶ Temp. °F 74 76 Date sampled 77 79

Taste, color, etc. 75

PUNCHER

Well No.

N211

Well No. N211

SAQI-0 M3000
(10-1)

Latitude-longitude

d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD

Physiographic Province: 03

Section: 03

GRAD SETZAN

Drainage Basin: D

Subbasin: 135

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (F) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

system series TR

aquifer, formation, group 2A

Lithology:

Origin: S

Aquifer Thickness: 26 ft

Length of well open to: 10 ft

Depth to top of: 305 ft

MINOR AQUIFER:

system series

aquifer, formation, group

Lithology:

Origin:

Aquifer Thickness:

Length of well open to:

Depth to top of:

Intervals Screened:

Depth to consolidated rock:

ft

Source of data:

Depth to basement:

ft

Source of data:

Surficial material:

Infiltration characteristics:

Coefficient Trans:

gpd/ft

Coefficient Storage:

Coefficient Perm:

gpd/ft²; Spec cap:

gpm/ft; Number of geologic cards:

