

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by B.D. Source of data Bowc Date 2-71 Map \_\_\_\_\_

State \_\_\_\_\_ County 28 (or town) Harrison \_\_\_\_\_

Latitude: 302220N Longitude: 0891559 Sequential number: 1

Lat-long accuracy: 3 T 8 R 13 Sec 8 NW SW

Local well number: N 279 BC 08 08 S 13 W Other number: \_\_\_\_\_

Local use: 239 Owner or name: \_\_\_\_\_

Owner or name: M. DIEDEUX Address: De Lake

Ownership: County, Fed Govt, City, Corp or Co, Private, State Agency, Water Dist P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_

Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling:  Pumpage inventory:  period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 60 Meas. rept accuracy 3

Depth cased; (first perf.) \_\_\_\_\_ ft 55 Casing type: Galv.; Diam. in 2

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, perf., screen, sd. pt., shored, open hole, other 5

Method: (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (X) (Z) H

Drilled: air rot, bored, cable, dug, hyd rot., jetted, air percussion, reverse rotary, trenching, driven, drive wash, other H

Date Drilled: 969 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: McGill

Lift (type): (A) (B) (C) (J) (L) (M) (N) (P) (R) (S) (T) (Z) Deep  Shallow

Power (type): diesel  elec.  gas, gasoline, hand, gas, wind; H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: CF5

Water Level: 8 ft above below MP; Ft below LSD 8 Accuracy: \_\_\_\_\_

Date meas: 369 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. N 279

Well No. N

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

NAME AS ON MASTER CARD

Physiographic Province:

03

Section: \_\_\_\_\_

D

Drainage Basin:

135

Subbasin: \_\_\_\_\_

26

Topo of well site: (D) (C) (E) (F) (H) (K) (L) depression, stream channel, dunes, flat, hilltop, sink, swamp, (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ 27

MAJOR AQUIFER:

system \_\_\_\_\_

series TP

aquifer, formation, group C1

Lithology: \_\_\_\_\_

US

Origin: \_\_\_\_\_

2

Aquifer Thickness: 20 ft

Length of well open to: \_\_\_\_\_ ft

5

Depth to top of: \_\_\_\_\_ ft

40

MINOR AQUIFER:

system \_\_\_\_\_

series \_\_\_\_\_

aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_

\_\_\_\_\_

Origin: \_\_\_\_\_

\_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft

\_\_\_\_\_

Depth to top of: \_\_\_\_\_ ft

\_\_\_\_\_

Intervals Screened:

2' S.S.

Depth to consolidated rock: \_\_\_\_\_ ft

\_\_\_\_\_

Source of data: \_\_\_\_\_

\_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

\_\_\_\_\_

Source of data: \_\_\_\_\_

\_\_\_\_\_

Surficial material: \_\_\_\_\_

\_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

\_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft


\_\_\_\_\_

Coefficient Storage: \_\_\_\_\_

\_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

\_\_\_\_\_



Well No.

N 229