

R=42\* T= A \* Lift type 43# S \* Intake 44= \* Power type 45= E \*

Date 38= 12/06/1977\* H.P. 46= 5. \*

LIFT

R=198\* T= A \* Log 199# D \* Top 200= 0. \* Bot 201= 704. \*

R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*

R=189\* T= A \* B-log No. 190# \* 191= M I S S D I S T \*

LOGS

R=114\* T= A \* Year 115# \* Type 120= \*

ANAL.

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*

Unit ID 93= 12 GRMF \* Name of Unit

AQUIFERS

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*

Unit ID 93= \* Name of Unit

R=98\* T= A \* 99# 1 \* Unit tested 100= \* 103= \*

R=105\* T= A \* 99# 1 \* Test No. 106# \*

HYDRAULICS

107= \* Transmissivity (gal/d)/ft

108= \* Hydraul. cond. (gal/d)/ft<sup>2</sup>

110= \* Storage coeff. Boundaries

R=121\* T= \* Yr Begin 122# \*

Water Level Data Collection (1)

Well in Pass Christian

description of formations encountered	from	to
Sand	0	30
Clay	30	60
Coarse sand	60	75
Clay sand streaks	75	653
Sand	653	704

6/77 WTO

TRANSMITTED FOR ADP

4/78

Recorded by WTO

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

Well No. N292

Date 1/12/78

E-Log No. \_\_\_\_\_

County Harrison

Site ID 301913089135101 R=0\* T=A\* 2=W\*

GEN. SITE DATA

Data reliab. 3-U Report. agency 4-USGS\* Dist. 6-28\* 7-28\* Co. 8-047\*  
Lat. \_\_\_\_\_ Long. / 9-301913\* 10-0891321\* Well No. 12-N292  
Location 13-S30T08SR13W\* Alt. 16-20.\*  
Hyd. Unit (OWDC) 20-\_\_\_\_\_\* Date 21-12/06/1977\*  
Well use 23-W\* Water use 24-I\* Hole depth. 27-704 Well depth. 28-704  
WL 30-3.\* Date 31-12/06/1977\* Source 33-D\*  
Status 273-\_\_\_\_\_\* Project No. 5-\_\_\_\_\_\*

OWNER

R-158\* T=A\* Date 159#12/06/1977\* Owner No. \_\_\_\_\_  
Owner 161-PETE FERRARA

FIELD CW

R-192\* T=A\* Date 193# Temp. 196#00010\* 197-\_\_\_\_\_\*  
R-192\* T=A\* Date 193# Cond. 196#00095\* 197-\_\_\_\_\_\*  
R-192\* T=A\* Date 193# pH 196#00400\* 197-\_\_\_\_\_\*

CONSTR.

R-58\* T=A\* 59#1\* Date 60-12/06/1977\* Remarks \_\_\_\_\_  
Drlg. 63-158\* Name Coastal Water Well Serv. Method 65-H\* Finish 66-S\*

CASING

R-76\* T=A\* 59#1\*  
Top csng. 77#0.\* Bot. csng. 78-684.\* Diam. 79#4.\*  
R-76\* T=A\* 59#1\*  
Top csng 77# Bot. csng. 78-\_\_\_\_\_\* Diam. 79#\_\_\_\_\_\*

OPENINGS

R-82\* T=A\* 59#1\* Top 83#684.\* Bottom 84-704.\*  
Type 85-S\* Diam. 87-4.\* Size 88-\_\_\_\_\_\*  
R-82\* T=A\* 59#1\* Top 83#\_\_\_\_\_\* Bottom 84-\_\_\_\_\_\*  
Type 85-\_\_\_\_\_\* Diam. 87-\_\_\_\_\_\* Size 88-\_\_\_\_\_\*

YIELD

R-146\* T=A\* 147#1\* Q 150-75.\* Q/S 272-\_\_\_\_\_\*  
134 flows 146 pumped

