LIFT

R=42* T= A * Lift type 43# J * Intake 44= * Power type 45= E *

Date 38= 07/23/1983 * H.P. 46= /. *

LOGS

R=198* T= A * Log 199# D * Top 200= 0. * Bot 201= 520. *

R=198* T= A * Log 199# * Top 200= . * Bot 201= . *

R=189* T= A * E-Log No. 190# * 191= M I S S D I S T *

ANAL.

R=114* T= A * Year 115# * 117= * 120= *

AQUIFERS

R=90* T= A * 256# 1 * Top 91= 470. * Bot 92= . *

Unit ID 93= 2MGRMF * Name of Unit

R=90* T= A * 256# 1 * Top 91= . * Bot 92= . *

Unit ID 93= * Name of Unit

HYDRAULICS

R=98* T= A * 99# 1 * Unit tested 100= * 103= *

R=105* T= A * 99# 1 * Test No. 106# *

107= * Transmissivity (gal/d)/ft

108= . * Hydraul. cond. (gal/d)/ft^2

110= . * Storage coeff. Boundaries

R=121* T= * Yr Begin 122# *

Network 258.# *

Water Level Data Collection (1)

description of formations encountered	from	to
Clay	0	60
Sand	60	130
Cumbo.	130	200
Fine Sand	200	258
Clay	258	400
Fine sand	400	430
Clay	430	470
Salt + Pep per sand	470	520

1/81 WTO

TRANSMITTED FOR ADP

U.S. GEOLOGICAL SURVEY
WATER RESOURCES DIVISION
MISSISSIPPI DISTRICT
WELL RECORD

7/84

Recorded by ND
Date 5-7-84

Well No. N314
E-Log No.
County HARRISON

Site ID 30 21 41 089 14 54 01 (5, 1, 19) | R=0* | T= A * | 2=W*

GEN. SITE DATA

Data reliab. 3= U * (C U) | Report. agency 4=USGS* | Dist. 6=28* | 7=28* | Co. 8= 047 *

Lat. / Long. 9= 30 21 41 * | 10= 089 14 54 * | Well No. 12= N314

Location 13= S 12 T 08 S R 13 W * | Alt. 16= 6. *

Hyd. Unit (OWDC) 20= * | Date 21= 07 23 1983 *

Well use 23= W * | Water Use 24= H * | Hole depth 27= 520. * | Well depth 28= 520.

WL 30= -5. * | Date 31= 07 23 1983 * | Source 33= D *

Status 273 = * | Project No. 5= *

OWNER

R=158* | T= A * | Date 159# 07 23 1983 * | Owner No.

Owner 161# MIKE FELTER *

FIELD QW

R=192* | T= A * | Date 193# / / * | Temp. 196#00010* | 197= . *

R=192* | T= A * | Date 193# / / * | Cond. 196#00095* | 197= . *

R=192* | T= A * | Date 193# / / * | pH 196#00400* | 197= . *

CONSTR.

R=58* | T= A * | 59# 1* | Date 60= 07 23 1983 * | Remarks

Drlg. 63= 404 * | Name LYMAN WELL CO | Method 65= H * | Finish 66= S *

CASING

R=76* | T= A * | 59#1*

Top casn. 77# 0. * | Bot. casn. 78= 510. * | Diam. 79# 2. *

R=76* | T= A * | 59#1*

Top casn 77# . * | Bot. casn. 78= . * | Diam. 79# . *

OPENINGS

R=82* | T= A * | 59#1* | Top 83# 510. * | Bottom 84= 520. *

Type 85= S * | Diam. 87= 2. * | Size 88= . *

R=82* | T= A * | 59#1* | Top 83# . * | Bottom 84= . *

Type 85= * | Diam. 87= . * | Size 88= . *

YIELD

R= 146 * | T= A * | 147# 1 * | Q 150= 28. * | Q/S 272= . *

134 flows 146 pumped