

SITE ID-302234089131901

WRD Exp. (GW)
April 1966

Well No. 09

WELL SCHEDULE

ELOG#53

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

3934

MASTER CARD PE Gautham

Dr/rg. jobs 5/27/65

Record by J. Shell Source of data

Date 11/68 Map

State

28 County (or town)

Harrison

24

Latitude: 30 22 34 N Longitude: 089 13 19 W

Sequential number: 1

Lat-long accuracy: 31 T. 2 S. R. 2 E. Sec 6 T. SE N. NE

Local well number: 0009 DA0600 S12W Other number: B & M

Local use: 024053 Owner or name: J. P. MARTIN

Ownership: (C) County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other Dom & Stock

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: yes no; period:

Aperture cards: yes

Log data: E

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 531 ft Meas. rept 6

Depth cased: 521 ft Casing type: 2 1/2 in Diam. 2

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. (I) open (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other S

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussion, (R) rotary, (T) reverse, (V) trenching, (W) driven, (X) drive wash, (Z) other H

Date Drilled: 9.6.5 Pump intake setting: 36 ft 38

Driller: Fred Sutter name address

Lift (type): (A) air, (B) bucket, (C) cent., (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb., (Z) other J Deep Shallow

Power (type): diesel, elec., gas, gasoline, hand, gas, wind, H.P. 1 Trans. or meter no. S

Descrip. MP 10 ft above LSD, Alt. MP 10 ft below LSD

Alt. LSD: 10 Accuracy: (source) 3

Water Level: +9 ft above MP; Ft below LSD +9 Accuracy: D

Date meas: 5.6.5 Yield: 25 gpm Method determined A

Drawdown: 62 ft Accuracy: 63 Pumping period: 66 hrs 68

QUALITY OF WATER DATA: Iron 69 ppm Sulfate 70 ppm Chloride 71 ppm Hard. 72

Sp. Conduct 73 K x 10 Temp. 74 °F Date sampled 77 79

Taste, color, etc.

PUNCHED

Well No. 09

Well No. 039

Latitude-longitude N
S
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: _____
Drainage Basin: D 135 Subbasin: _____

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp
(C) (E) (F) (H) (K) (L)
(O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat F

MAJOR AQUIFER: TP system series aquifer, formation, group GF
Lithology: S Origin: 3 Aquifer Thickness: _____ ft

Length of well open to: _____ ft Depth to top of: _____ ft

MINOR AQUIFER: _____ system series aquifer, formation, group _____
Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft

Length of well open to: _____ ft Depth to top of: _____ ft

Intervals Screened: .010 ga. Stainless steel 2 1/2" dia


Depth to consolidated rock: _____ ft Source of data: _____

Depth to basement: _____ ft Source of data: _____

Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____



Well No. 039

