

SITE ID-3022 14089090701  
FORM 9-1642  
(1-68)

Well No. 050  
393C

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by WTR Source of data Bowc Date 3/69 Map \_\_\_\_\_  
State 32 County 28 (or town) Harney Sequential number: 1  
Latitude: 30 22 14 N Longitude: 08 9 09 W  
Local well number: 0050CC0108S12W Other well number: #35  
Local use: 024 Owner or name: HOMER MAGEE Address: Long Beach  
Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist   
Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water:   
Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other   
Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed.   
DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.   
Hyd. lab. data:   
Qual. water data; type:   
Freq. sampling:  Pumpage inventory:  period:   
Aperture cards:   
Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 470 Meas. rept accuracy 3  
Depth cased (first perf.): 460 Casing type: \_\_\_\_\_; Diam. in 2  
Finish: porous gravel w. gravel w. horiz. open perf., screen, sd. pt., shored, open hole, other 5  
Method (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (X) (Y) (Z) H  
Drilled: air bored, cable, dug, rot, air jetted, air reverse, air percussion, rotary, trenching, driven, drive wash, other H  
Date Drilled: 11/62 9/62 Pump intake setting: \_\_\_\_\_ ft 38  
Driller: Dutter name (L) (M) address \_\_\_\_\_ Deep  Shallow   
Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other  39  40  
Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P.  Trans. or meter no. \_\_\_\_\_  
Descrip. MP \_\_\_\_\_ above ft below LSD, Alt. MP \_\_\_\_\_  
Alt. LSD: 20 Accuracy: (source) 3  
Water Level: \_\_\_\_\_ ft above MP; Ft below LSD +4 Accuracy: \_\_\_\_\_ Method D  
Date mess: 4/62 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_  
Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_  
QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_  
Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_  
Taste, color, etc. \_\_\_\_\_

PUNCHED

Well No.

050

PRINTED

Well No. 050

Latitude-longitude \_\_\_\_\_  
d m s N S d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD  
Physiographic Province: \_\_\_\_\_  
Section: 03  
Drainage Basin: D  
Subbasin: 135

Topo of well site: (D) (C) (E) (P) (H): (K) (L) depression, stream channel, dunes, flat, hilltop, sink, swamp  
(0) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat


MAJOR AQUIFER: \_\_\_\_\_  
system: \_\_\_\_\_  
series: \_\_\_\_\_  
aquifer, formation, group: \_\_\_\_\_  
Lithology: \_\_\_\_\_  
Origin: \_\_\_\_\_  
Aquifer Thickness: 80 ft

Length of well open to: \_\_\_\_\_ ft  
Depth to top of: \_\_\_\_\_ ft  
MINOR AQUIFER: \_\_\_\_\_  
system: \_\_\_\_\_  
series: \_\_\_\_\_  
aquifer, formation, group: \_\_\_\_\_  
Lithology: \_\_\_\_\_  
Origin: \_\_\_\_\_  
Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft  
Depth to top of: \_\_\_\_\_ ft  
Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_  
Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_  
Surficial material: \_\_\_\_\_  
Infiltration characteristics: \_\_\_\_\_  
Coefficient Trans: \_\_\_\_\_ gpd/ft<sup>2</sup> Coefficient Storage: \_\_\_\_\_  
Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

Clay	20	20
Sand	43	63
Clay	62	125
Sand	50	175
Clay	31	206
Sand	72	278
Clay	112	390
Sand	85	470



Well No. 050

050

