

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR      GEOLOGICAL SURVEY      WATER RESOURCES DIVISION

MASTER CARD

Record by WTD Source of data Basic Date 3/69 Map \_\_\_\_\_

State \_\_\_\_\_ County 28 (or town) Harrison 24

Latitude: 30° 27' 25" N Longitude: 08° 91' 30" W Sequential number: 7

Lat-long accuracy: 4 T. 8 N. 12 E. Sec. 8, T. NE, S.W.

Local well number: 056AC0808S12W Other number: \_\_\_\_\_ B & M

Local use: 024 Owner or name: \_\_\_\_\_

Owner or name: E. B. O'N Address: Rt 1 to Poer Christian

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist D

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Doa, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes  no

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD

Depth well: 178 ft Meas. accuracy 3

Depth cased: 173 ft Casing type: \_\_\_\_\_; Diam. 1 1/4 in

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, other 5

Method: Drilled: air rot, bored, cable, dug, hyd rot., jetted, air percussion, reverse, rotary, trenching, driven, wash, other H

Date Drilled: 8/63 9/63 Pump intake setting: \_\_\_\_\_ ft

Driller: Dutton name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent. jet, (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other  Deep  Shallow 40

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P.  Trans. or meter no. 41

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 15 Accuracy: CI 5 3

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; \_\_\_\_\_ ft below LSD Accuracy: \_\_\_\_\_ D

Date meas: 8/63 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Data sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNCHED

Well No. 056

Well No. 056

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** **Physiographic Province:** 013 **Section:** \_\_\_\_\_  
**Drainage Basin:** D U31S **Subbasin:** \_\_\_\_\_

**Topo of well site:** (D) (C) (B) (P) (N) (K) (L) depression, stream channel, dunes, flat, hilltop, sink, swamp  
(0) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat F

**MAJOR AQUIFER:** TP CF  
system series aquifer, formation, group

**Lithology:** S **Origin:** 2 **Aquifer Thickness:** 8 ft  
**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** 160 ft

**MINOR AQUIFER:** \_\_\_\_\_  
system series aquifer, formation, group

**Lithology:** \_\_\_\_\_ **Origin:** \_\_\_\_\_ **Aquifer Thickness:** \_\_\_\_\_ ft  
**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**Interval Screened:** \_\_\_\_\_


**Depth to consolidated rock:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Depth to basement:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Surficial material:** \_\_\_\_\_ **Infiltration characteristics:** \_\_\_\_\_

**Coefficient Trans:** \_\_\_\_\_ gpd/ft **Coefficient Storage:** \_\_\_\_\_

**Perm:** \_\_\_\_\_ gpd/ft<sup>2</sup>; **Spec cap:** \_\_\_\_\_ gpm/ft; **Number of geologic cards:** \_\_\_\_\_



Well No. 056