FORM 9-1642
(1-68)

Well No. Ø64
393A

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR — GEOLOGICAL SURVEY — WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by: WTR Source of data: BOWC Date: 3/69 Map:

State: 37 [28] County (or town): Harrison [24]

Latitude: 30 22 28 N S Longitude: 089 12 50 Sequential number: 1

Lat-long accuracy: 4 T. N S, R. E W, Sec. 5, NE ¼, SW ¼ B & M

Local well number: Ø64 AC050 8S 12W Other number:

Local use: 024 Owner or name:

Owner or name: JAMES DUBUISSON Address: Rt#1 Long Beach

Ownership: (C) County, (F) Fed Govt, (M) City, (N) Corp or Co, (P) Private, (S) State Agency, (W) Water Dist [P]

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) P S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Repressure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other [N]

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (Ø) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed. [W]

DATA AVAILABLE: Well data [ ] Freq. W/L meas.: [Ø] Field aquifer char.:

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: [ ] Pumpage inventory: yes no, period:

Aperture cards: yes

Log data: [D]

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: ft [546] Meas. rept accuracy [3]

Depth cased (first perf.): ft [530] Casing type: ; Diam. in [3]

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (Ø) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other [S]

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse rotary, (T) trenching, (V) driven, (W) drive wash, (Z) other [H]

Date Drilled: 5/64 [964] Pump intake setting: ft

Driller: Sutter, name, address

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple (cent.), (M) multiple (turb.), (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other Deep Shallow

Power (type): diesel, elec, nat gas, gasoline, hand, LP gas, wind; H.P. Trans. or meter no.

Descrip. MP ✓ ft above below LSD, Alt. MP

Alt. LSD: [20] Accuracy (source): [3]

Water Level ft above below MP; Ft above below LSD [+5] Accuracy: [D]

Date meas.: 5/64 [564] Yield: gpm Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm

Sp. Conduct K x 10^6 Temp. °F Date sampled

Taste, color, etc.

Well No. Ø64

Well No. 064

Latitude-longitude N S
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD

Physiographic Province: 03 Section:

Drainage Basin: D 135 Subbasin:

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (Ø) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat F

MAJOR AQUIFER: system; series; TP aquifer, formation, group GF

Lithology: 3 Origin: 3 Aquifer Thickness: >50 ft

Length of well open to: 6 ft Depth to top of: 490 ft

MINOR AQUIFER: system; series; aquifer, formation, group

Lithology: Origin: Aquifer Thickness: ft

Length of well open to: ft Depth to top of: ft

Intervals Screened:

Depth to consolidated rock: ft Source of data:

Depth to basement: ft Source of data:

Surficial material: Infiltration characteristics:

Coefficient Trans: gpd/ft Coefficient Storage:

Coefficient Perm: gpd/ft^2; Spec cap: gpm/ft; Number of geologic cards:

Clay	18	18
Sand & gravel	15	33
Clay	324	357
Sand	29	386
Clay	104	490
Sand	56	546

Well No. 064

GPO 937-142

GWSI UPDATES

Well No Ø64
County HARRISON

Item	Changed		Requested by		Updated by	
No	From	To	Initial	Date	Initial	Date
C3	U	C	BRR	7/10/96		
C5	–	047	"	"		
C9	302228	302231	"	"		
C10	0891250	0891245	"	"		
C13	SWNE S5	NE SW S5	"	"		
C14	—	GULFPORT NW	"	"		
C20	—	03170009	"	"		