

SITE ID-302230089091701  
FORM 9-1642  
(1-68)

Well No. 0113  
393c **PUNCHED**

WELL SCHEDULE  
GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

U. S. DEPT. OF THE INTERIOR

JAN 15 1973

MASTER CARD

Record by JCM Source of data BOWC Date 6-72 Map \_\_\_\_\_

State 26 28 County Harrison 24

Latitude: 30 22 38 N Longitude: 08 90 97 W Sequential number: 1

Lat-long accuracy: 5 T. 8 S. 120 Sec. 2, NWSE, NE, SW

Local well number: 0113 0208 512W Other number: #7

Local use: 188 Owner or name: TERRY PHELPS Address: Long Beach

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  yes no, period:

Aperture cards:  yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 420 Meas. 3

Depth cased; (first perf.) 410 ft. Casing type: gab ; Diam. 2 in

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, perf., screen, sd. pt., shored, open hole, other S

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air percuss, (F) rotary, (G) reverse trenching, (H) driven, (I) drive wash, (J) other H

Date Drilled: 972 Pump intake setting: \_\_\_\_\_ ft

Driller: R.J. Moore name address

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other J Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H<sub>2</sub>P. 1 S Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 10 Accuracy: (source) 3

Water Level \_\_\_\_\_ ft above below MP; Ft below LSD 16 Accuracy: D

Date meas: 572 Yield: \_\_\_\_\_ gpm Method determined 10

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

0113

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
d m s N  
S d m s

HYDROLOGIC DISTRICT

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

03  
20 21

Section: \_\_\_\_\_

1135  
22 23

Drainage Basin: \_\_\_\_\_

1135  
23 25

Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (R) hilltop, (K) sink, (L) swamp, (φ) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat

MAJOR AQUIFER: system \_\_\_\_\_ series **TM** aquifer, formation, group **MZ**

Lithology: \_\_\_\_\_ Origin: **3** Aquifer Thickness: **30** ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: **390** ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: **2" SS.**

Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

TOP SOIL	0	10
RP Silt-s.	10	30
White clay	30	60
Blue clay	60	240
SILTY Silt-s.	240	255
Blue clay	255	390
Blue Silt-s. (med)	390	420



Well No. \_\_\_\_\_

0113

