

SITE ID. 302101089113101

FORM 9-1642 (1-68)

Well No.

Φ 169

WELL SCHEDULE

Elog # 98 PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

393 C MAY 8 1973

MASTER CARD

LAT/LONG OK 7/31/95

Record by WSO Source of data Bowc MSGS Date 3/73 Map State MISS 28 Harrison 24 Latitude: 302101N Longitude: 0891131 Sequential number: 7 Lat-long accuracy: 20 8 12 Sec 16 Other number: INO PARK T.H. #2 Local well number: Φ 169 A 1608 S 12 W Local use: 184098 Owner or name: LONG BEACH Address:

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist M Use of water: (S) (T) (U) (V) (W) (X) (Y) (Z) Stock, Instit, Unused, Recharge, Desal-P S, Desal-other, Other Use of well: (A) (D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed.

DATA AVAILABLE: Well data 70 Freq. W/L meas.: 71 Field aquifer char. 72 Hyd. lab. data: 73 Qual. water data: type: 74 Freq. sampling: 75 Pumpage inventory: no, period: 76 Aperture cards: 77 Log data: Elog 43'-1002' 78 79

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 878 ft Meas. 24 3 Depth cased: Split ft 760 Casing type: 20 23 accuracy 25 28 Diam. 16x8 in 29 30 Finish: (C) (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) porous concrete, gravel w. (perf.), gravel w. (screen), horiz. open perf., screen, sd. pt., shored, open hole, other 31 Method: (A) (B) (C) (D) (E) (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) air bored, cable, dug, hyd jetted, air reverse trenching, driven, drive rot., rot., percussion, rotary, wash, other 32 Date Drilled: 2-21-73 33 35 Pump intake setting: ft 36 38 Driller: GRINER

Lift (type): (A) (B) (C) (J) (L) (M) (N) (P) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other T Deep 39 Shallow 40 Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 40 V Trans. or meter no. 41

Descrip. MP 42 Accuracy: (source) 47 3 Alt. LSD: 27 ft above MP; Ft below LSD 48 51 Accuracy: 52 D

Water Level Date meas: 373 Yield: 600 gpm Method determined 61 Drawdown: ft 62 Accuracy: 63 Pumping period 64 hrs 66 68

QUALITY OF WATER DATA: Iron ppm 69 Sulfate ppm 70 Chloride ppm 71 Hard. ppm 72 Sp. Conduct 230 K x 10 6 Temp. 260 F Date sampled 873 77 79 Taste, color, etc. 73 74

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
d m s d m s

**HYDROGEOLOGIC CARD**

**SEARCHED**

ON MASTER CARD Physiographic Province: \_\_\_\_\_ Section: 03

8 1231 YAM D Drainage Basin: \_\_\_\_\_ Subbasin: 135

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (K) offshore, pediment, hillside, terrace, undulating, valley flat (E) (F) (H) (L) (P) (S) (T) (U) (V) \_\_\_\_\_ 27

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series TM aquifer, formation, group mZ

Lithology: \_\_\_\_\_ US Origin: 3 Aquifer Thickness: 150 ft

1150 Length of well open to: split ft 101 Depth to top of: \_\_\_\_\_ ft 740

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

\_\_\_\_\_ Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Interval: \_\_\_\_\_ Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

760 - 820 Screen  
820' - 837 Blank  
837' - 878' Screen



Well No. \_\_\_\_\_

