

Coded By Q 9/93
 Checked By JPE 10-19-93
 Entered By JPE 10-19-93
 Date 10-19-93

U.S. GEOLOGICAL SURVEY
 WATER RESOURCES DIVISION
 MISSISSIPPI DISTRICT

E-Log No. _____
 County Harrison
 Agency _____
 Well No. Φ 316
5-1

WELL RECORD

Agency Code <u>U S G S</u>	Site Id <u>13012116089108117011</u>	Project No. <u>5-NICBR11111</u>
Station Name <u>12-03116 NICBR1 GPTT-151-1111111111</u>	Latitude <u>9-310121161</u>	Longitude <u>10-01891081171</u>
Lat. Long. Ac. <u>11 S F T M</u>	Dist <u>6-28</u>	State <u>7-28</u>
County <u>8-047</u>	SW NE Land Net <u>13-SEISELSO11TIOBISRI12W</u>	

Location Map <u>14-PAISS-KHRISTIANI</u>	Altitude <u>16-129.6</u>	Met/Meas <u>17-A L</u>	Accuracy <u>18-1111</u>	Hydrologic Unit <u>20-0311701019</u>
--	-----------------------------	---------------------------	----------------------------	---

Agency Use <u>803-A I O</u>	Date Inventoried <u>7-11-1-1-1-1-1-1-1-1-1-1</u>	Station Type <u>4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1</u>	Data Type <u>804-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1</u>
--------------------------------	---	--	---

Instru. <u>805-1</u>	Remarks <u>806-1</u>	Relia. <u>3-CUMU</u>	<u>2-0X</u>
-------------------------	-------------------------	-------------------------	-------------

Date of Construction <u>21-03/125/11987</u>	Well Use <u>23-Φ</u>	Water Use <u>24-U</u>	Primary Aquifer <u>714-112TRCSI</u>	Hole Depth <u>27-1111</u>
--	-------------------------	--------------------------	--	------------------------------

Well Depth <u>29-1211</u>	Water Level <u>30-14191</u>	Water Level Date <u>31-03/1301/11987</u>	Method <u>34-1</u>	Status <u>37-1</u>	Source <u>33-D</u>
------------------------------	--------------------------------	---	-----------------------	-----------------------	-----------------------

CONSTRUCTION DATA

R=58	T=A	723#1	Construction Date <u>60-03/125/11987</u>	Contractor <u>63-111</u>	Name <u>SW LABS</u>	Method <u>65-A</u>	Finish <u>66-G</u>
------	-----	-------	---	-----------------------------	------------------------	-----------------------	-----------------------

CONSTRUCTION CASING DATA

R	T	Top/Casing	Bot/Casing	Diameter
<u>76</u>	<u>A</u>	<u>725#1</u>	<u>59#1</u>	<u>77-11215</u>
<u>78</u>	<u>113</u>	<u>79-121</u>		

R	T	Top/Casing	Bot/Casing	Diameter
<u>76</u>	<u>A</u>	<u>725#2</u>	<u>59#1</u>	<u>77-11111</u>
<u>78</u>	<u>111</u>	<u>79-111</u>		

CONSTRUCTION OPENINGS DATA

R	T	Top/Depth	Bot/Depth	Diameter	Type	Length	Width
<u>82</u>	<u>A</u>	<u>726#1</u>	<u>59#1</u>	<u>83-1131</u>	<u>84-1211</u>	<u>87-121</u>	<u>85-S</u>
<u>89</u>	<u>111</u>	<u>88-10201</u>					

R	T	Top/Depth	Bot/Depth	Diameter	Type	Length	Width
<u>82</u>	<u>A</u>	<u>726#2</u>	<u>59#1</u>	<u>83-11111</u>	<u>84-11111</u>	<u>87-111</u>	<u>85-1</u>
<u>89</u>	<u>111</u>	<u>88-11111</u>					

CONSTRUCTION LIFT DATA

R=42	T=A	254#1	Lift Type <u>43-1</u>	Date <u>38-1111111111</u>	Intake <u>44-1111</u>
------	-----	-------	--------------------------	------------------------------	--------------------------

Power	H.P	Serial No.
<u>45-1</u>	<u>46-11111</u>	<u>49-1111111111</u>

MISCELLANEOUS OWNER DATA

R=158	T=A	718#1	Date of Ownership <u>159-03/125/11987</u>	Owner Name <u>161-NICBR GULFPORT</u>
-------	-----	-------	--	---

MISCELLANEOUS OTHER ID DATA

R=189	T=A	736#1	E-Log No. <u>190-111</u>	Assigner <u>191-M I S S I D I S T</u>
-------	-----	-------	-----------------------------	--

MISCELLANEOUS QW DATA

R=	T=A	Well #	Date of Measurement	Aquifer Sampled	Temp	Value
192		738#1	1934 / / / / / / / /	195	196#00010	197
192		738#2	1934 / / / / / / / /	195	196#00095	197
192		738#3	1934 / / / / / / / /	195	196#00400	197

MISCELLANEOUS LOGS DATA

R=	T=A	Well #	Log Type	Req. Depth	End Depth
198		739#1	1994	200 / / / / /	201 / / 219 / /
198		739#1	1994	200 / / / / /	201 / / / / /

MISCELLANEOUS NETWORK DATA: 706 = QW. (W) WD

R=	T=A	Well #	Req. Year	End Year	Agency Source	Freq.
114		730#1	115 / / 8 / /	116 / / 9 / /	117#	118#
121		730#2	115 / / 9 / /	116 / / 9 / /	117#	118#

MISCELLANEOUS REMARKS DATA

R=	T=A	Well #	Date of Remarks	Remarks
183		311#1	184 / / / / / / / /	185

DISCHARGE DATA

R=	T=A	Pump/Flow	Date	Type	Discharge	Sp. Capacity
146		147#1	148 / / / / / / / /	703 P F	150 / / / / /	272 / / / / /

GEOHYDROLOGIC DATA

R=	T=A	Well #	Depth Top	Depth Bot.	Unit Id
90		721#1	91 / / 5 / /	92 / / 210 / /	93 / / 12TRCS / / 304=P

HYDRAULIC DATA

R=	T=A	Well #	Unit Tested
98		790#1	100 / / / / / / / / 103 / /

B-20.7
 20.7 Fat Clay

N 256718.91
 E 403796.60

WL - 6.65 @ 2493

U.S. DEPT. OF INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES DIVISION
WATER-LEVEL DATA

WELL NO. Φ316
MP HEIGHT _____

ELEV. 29.51 G.P.T. 5-1

Site Ident. No. 302216089081701

R = 234 * T = A *

DATE	WATER LEVEL (BELOW LSD)	STATUS	METHOD	HOLD	CUT	DEPTH BELOW MP	REMARKS	DATE PUNCHED	DATE ENTERED
235 # 03/30/1987 *	237 = 4.86 *	238 = *	239 = R *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # 08/24/1993 *	237 = 6.65 *	238 = *	239 = *						
235 # 09/20/1993 *	237 = 6.63 *	238 = *	239 = *						
235 # 12/14/1993 *	237 = 6.67 *	238 = *	239 = *						
235 # 04/13/1994 *	237 = 6.79 *	238 = *	239 = *						
235 # 07/06/1994 *	237 = 6.74 *	238 = *	239 = *						
235 # 10/20/1994 *	237 = 6.43 *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						
235 # / / / *	237 = . . . *	238 = *	239 = *						

MEASURING POINT
R = 320 * T = A D M *
add, delete, modify

Method of Measurement
239 = A B C E G H L M N R S T V Z
airline, analog, calibrated, estimated, pressure, calibrated, geophysical, manometer, non-reported, steel, electric, calibrated, other
airline gage pressure logs recording gage tape tape electric tape

M.P. Begin Date 321 # / / / / / *
M.P. End Date 322 # / / / / / *
M.P. Height 323 = . . . *
M.P. Remark 324 # _____ *

Site Status
238 = D E F G H I J N Ø P R S T V W X Z
dry, recently, flowing, nearby, nearby, injector, injector, discon- obstruction, pumping, recently, nearby, nearby, foreign, well, affected by, other
flowing flowing recently flowing or site tinused pumped pumping recently matter destroyed surface
flowing flowing monitor measuring pumping on water pumping on water water site

Item	Quantity	Unit	Price	Total
1. Flour	500	kg	2.00	1000.00
2. Sugar	200	kg	3.00	600.00
3. Rice	1000	kg	1.50	1500.00
4. Oil	50	liters	4.00	200.00
5. Beans	300	kg	1.20	360.00
6. Lentils	200	kg	1.00	200.00
7. Eggs	100	dozen	1.80	180.00
8. Chicken	5	kg	10.00	50.00
9. Fish	3	kg	15.00	45.00
10. Vegetables	500	kg	0.80	400.00
11. Fruits	100	kg	2.00	200.00
12. Spices	50	kg	1.00	50.00
13. Salt	200	kg	0.20	40.00
14. Tea	50	kg	0.50	25.00
15. Coffee	50	kg	1.00	50.00
16. Paper	100	kg	0.50	50.00
17. Ink	50	kg	0.20	10.00
18. Stationery	100	kg	0.50	50.00
19. Office Supplies	50	kg	0.50	25.00
20. Printing	100	kg	0.50	50.00
21. Miscellaneous	50	kg	0.50	25.00

Item	Quantity	Unit	Price	Total
22. Textbooks	100	kg	1.00	100.00
23. Notebooks	200	kg	0.50	100.00
24. Pencils	500	kg	0.20	100.00
25. Erasers	100	kg	0.50	50.00
26. Rulers	50	kg	0.50	25.00
27. Calculators	50	kg	1.00	50.00
28. Compasses	50	kg	1.00	50.00
29. Protractors	50	kg	1.00	50.00
30. Drawing Boards	50	kg	1.00	50.00
31. Markers	50	kg	1.00	50.00
32. Highlighters	50	kg	1.00	50.00
33. Staplers	50	kg	1.00	50.00
34. Hole Punchers	50	kg	1.00	50.00
35. Paper Shredders	50	kg	1.00	50.00
36. Fax Machines	50	kg	1.00	50.00
37. Copiers	50	kg	1.00	50.00
38. Printers	50	kg	1.00	50.00
39. Scanners	50	kg	1.00	50.00
40. Modems	50	kg	1.00	50.00
41. Routers	50	kg	1.00	50.00
42. Network Cards	50	kg	1.00	50.00
43. USB Drives	50	kg	1.00	50.00
44. External Hard Drives	50	kg	1.00	50.00
45. Mouse	50	kg	1.00	50.00
46. Keyboard	50	kg	1.00	50.00
47. Headphones	50	kg	1.00	50.00
48. Speakers	50	kg	1.00	50.00
49. Monitor	50	kg	1.00	50.00
50. CPU	50	kg	1.00	50.00
51. Power Supply	50	kg	1.00	50.00
52. Cooling Fans	50	kg	1.00	50.00
53. Network Cables	50	kg	1.00	50.00
54. Power Cables	50	kg	1.00	50.00
55. Data Cables	50	kg	1.00	50.00
56. Antenna	50	kg	1.00	50.00
57. Modem	50	kg	1.00	50.00
58. Router	50	kg	1.00	50.00
59. Network Card	50	kg	1.00	50.00
60. USB Drive	50	kg	1.00	50.00