

PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by Callahan + Passaro Source Mrs. Parker Date 7/13/36  
G.D. of data H.O. Parker Date 7/27/70 Map \_\_\_\_\_  
State 28 County (or town) 25

Latitude: 322005N Longitude: 0901754 Sequential number: 1  
Lat-long accuracy: 2 T. 6 S. R. 1 E. Sec. 28 NE, SE, NE

Local well number: G013DA2806NO1W Other number: \_\_\_\_\_  
Local use: \_\_\_\_\_

Owner or name: ARTHUR D. WICKS Address: Clinton Blvd.  
Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other P

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, (W) Withdraw, Waste, Destroyed, (X) Other W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.   
Hyd. lab. data: \_\_\_\_\_  
Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes, no, period: \_\_\_\_\_  
Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 840 ft Meas. rept. accuracy 4

Depth cased; (first perf.) \_\_\_\_\_ ft Casing type: \_\_\_\_\_ Diam. 4 1/2 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd. rot., (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other H

Date Drilled: 1936 936 Pump intake setting: \_\_\_\_\_ ft

Driller: Davis + Berry name address \_\_\_\_\_  
Lift (type): (A) air, (B) bucket, (C) cent, (J) multiple, (L) multiple, (M) none, (N) piston, (P) rot, (R) submerg, (S) turb, (T) other, (Z) Deep S Shallow

Power (type): (nat) diesel, (elec) gas, gasoline, hand, gas, wind; H.P. 3 Trans. or meter no. 7

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_  
Alt. LSD: 357 Accuracy: (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD Accuracy: \_\_\_\_\_

Date meas: 1936 36 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. Water level 10ft lower in 1954

Well No. G13

Latitude-longitude \_\_\_\_\_

N

S

HYDROGEOLOGIC CARD

**SAME AS ON MASTER CARD** **Physiographic Province:** \_\_\_\_\_ **0.3** **Section:** \_\_\_\_\_

**D** **Drainage Basin:** \_\_\_\_\_ **15K** **Subbasin:** \_\_\_\_\_

**Topo of well site:** (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (P) offshore, pediment, hillside, terrace, undulating, valley flat: \_\_\_\_\_

**MAJOR AQUIFER:** \_\_\_\_\_ **TE** \_\_\_\_\_ **SS** \_\_\_\_\_

**Lithology:** \_\_\_\_\_ **US** **Origin:** \_\_\_\_\_ **2** **Aquifer Thickness:** \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**MINOR AQUIFER:** \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_

**Lithology:** \_\_\_\_\_ **Origin:** \_\_\_\_\_ **Aquifer Thickness:** \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**Intervals Screened:** **40' screen**



**Depth to consolidated rock:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Depth to basement:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Surficial material:** \_\_\_\_\_ **Infiltration characteristics:** \_\_\_\_\_

**Coefficient Trans:** \_\_\_\_\_ gpd/ft **Coefficient Storage:** \_\_\_\_\_

**Perm:** \_\_\_\_\_ gpd/ft<sup>2</sup>; **Spec cap:** \_\_\_\_\_ gpm/ft; **Number of geologic cards:** \_\_\_\_\_



Well No. \_\_\_\_\_

G13