

PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by Callahan & Parsons Source of data Mr. Spencer City Hall Date 7/6/56 7/28/70 Map \_\_\_\_\_

State G.D. County 28 (or town) \_\_\_\_\_ Sequential number: 23

Latitude: 32° 20' 12" N Longitude: 09° 01' 45" W

Lat-long accuracy: 2 T. 6 S. R. 1 E. Sec 30, NE 1/4, COR 1/4, NE 1/4

Local well number: G037AA3006NO1W Other number: \_\_\_\_\_ B & M

Local use: \_\_\_\_\_ Owner or name: Town of Clinton

Owner or name: CLINTON Address: \_\_\_\_\_

Ownership: (C) County, (F) Fed Gov't, (M) City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ (W)

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instat, (O) Unused, (P) Repressure, (Q) Recharge, (R) Desal-P S, (S) Desal-other, (T) Other \_\_\_\_\_ (H) sealed

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed. \_\_\_\_\_ (W)

DATA AVAILABLE: Well data  Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_ period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 825 Meas. rept accuracy \_\_\_\_\_ 3

Depth cased: \_\_\_\_\_ ft Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in \_\_\_\_\_ 8

Finish: (C) porous concrete, (F) gravel w. (perfor.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) open perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other \_\_\_\_\_ (S)

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot, (F) jetted, (G) air percussion, (H) reverse, (I) trenching, (J) driven, (K) drive wash, (L) other \_\_\_\_\_ (H)

Date Drilled: 1926 926 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 36 38

Driller: Layne - Central Co. name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple (cent.), (F) multiple (turb.), (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ (T) Deep \_\_\_\_\_ (S) Shallow \_\_\_\_\_ (7)

Power (type): (A) diesel, (B) etc, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; (H) H.P. \_\_\_\_\_ 30 (V) Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ 354 Accuracy: (source) \_\_\_\_\_ 8

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; \_\_\_\_\_ ft below LSD 265 Accuracy: \_\_\_\_\_ (D)

Date meas: 1/22/53 155 Yield: \_\_\_\_\_ gpm 93 Method determined \_\_\_\_\_ (1)

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ (1)

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. G37

