

WHD Exp. (GW)  
April 1966

Well No. 6125  
lg #88

# WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

TRANSMITTED FOR ADP

## MASTER CARD

WSP576 #22

Record by J.C. Kammann Source of data J.M. GIDDENS Date 9-1944 Map CLINTON 2280

State Miss 9 28 County Hinds 23  
(or town)

Latitude: 32 19 4 N Longitude: 09 01 5 22 Sequential number: 1  
deg min sec 12 degrees 1 min sec 19

Lat-long accuracy: 1 T. 6 S. R. 1 W. Sec 25, NE 1/4, SE 1/4, SW 1/4  
20 25 30 34

Local well number: G125AC2506ND1W Other number: \_\_\_\_\_ B & M

Local use: \_\_\_\_\_ Owner or name: Shady Oaks Country Club  
35 40 45 50 55 60 65 70 75 80 85 90 95

Owner or name: SHADY OAKS COUNTRY CLUB Address: formerly Country Club of Jackson  
32 36 41 46 51 56 61 66 71 76 81 86 91

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ 67 P

Use of water: Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, \_\_\_\_\_  
(A) (B) (C) (D) (E) (F) (H) (I) (M) (N) (P) (R)

Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_ 68 U  
(S) (T) (U) (V) (W) (X) (Y) (Z)

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed \_\_\_\_\_ 69 S  
(A) (D) (G) (H) (I) (P) (R) (T) (U) (W) (X) (Z)

DATA AVAILABLE: Well data \_\_\_\_\_ Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. \_\_\_\_\_ 72 Y  
70 71 73

Hyd. lab. data: \_\_\_\_\_ 74

Qual. water data; type: \_\_\_\_\_ 75

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_ yes \_\_\_\_\_ no \_\_\_\_\_ period: \_\_\_\_\_ 76

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_ 77

Log data: \_\_\_\_\_ 78 79

## WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 852 Meas. \_\_\_\_\_ 24 3  
19 20 23 accuracy

Depth cased: \_\_\_\_\_ ft 802 Casing type: steel; Diam. \_\_\_\_\_ in \_\_\_\_\_ 29 30 6  
(first perf.) 25 28

Finish: porous gravel w. gravel w. horiz. open (P) (S) (T) (W) (X) (Z) \_\_\_\_\_ 31 5  
concrete, (perf.), (screen), gallery, end, perf., screen, sd. pt., shored, open hole, other

Method: (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (Z) \_\_\_\_\_ 32 \_\_\_\_\_  
Drilled: air bored, cable, dug, hyd jetted, air reverse trenching, driven, drive wash, other

Date Drilled: 1915 9 15 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 36 38

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) (B) (C) (J) multiple, multiple, none, piston, rot, submerg, turb, other \_\_\_\_\_ 39 U Deep \_\_\_\_\_ 40 Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP Top of 4-in. casing 2.5 ft. above LSD. Alt. MP 369.04  
41 42 43 44 45 46 47 48 49 50 51 52

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_ 47 1  
42 43 (source)

Water Level: 237 ft above MP; Ft below LSD 237 Accuracy: \_\_\_\_\_ 52 A  
42 43 44 45 46 47 48 49 50 51 52

Date meag: 1960 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_ 51 15  
53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_ 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_ 73 74 75 76 77 78 79

Taste, color, etc. \_\_\_\_\_

06202

58/2/01

Well No.

Well No. G125

Latitude-longitude 32 19 45<sup>N</sup> 090 15 22<sub>d m s d m s</sub>

G125

**HYDROGEOLOGIC CARD**

1 SAME AS ON MASTER CARD 19 Physiographic Province: 03 20 21 Section: \_\_\_\_\_

22 D 23 Drainage Basin: 137 24 25 Subbasin: \_\_\_\_\_ 26

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ 27

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series T.E. 28 29 aquifer, formation, group S.S. 30 31

Lithology: sand 32 33 Origin: 3 34 Aquifer Thickness: \_\_\_\_\_ ft

35 80 36 Length of well open to: \_\_\_\_\_ ft 37 38 40 Depth to top of: \_\_\_\_\_ ft 41 43

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ 44 45 aquifer, formation, group \_\_\_\_\_ 46 47

Lithology: \_\_\_\_\_ 48 49 Origin: \_\_\_\_\_ 50 Aquifer Thickness: \_\_\_\_\_ ft

51 52 Length of well open to: \_\_\_\_\_ ft 53 54 56 Depth to top of: \_\_\_\_\_ ft 57 59

Intervals Screened: 802 - 852

Depth to consolidated rock: \_\_\_\_\_ ft 60 63 Source of data: \_\_\_\_\_ 64


Depth to basement: \_\_\_\_\_ ft 65 68 Source of data: \_\_\_\_\_ 69

Surficial material: \_\_\_\_\_ 70 71 Infiltration characteristics: \_\_\_\_\_ 72

Coefficient Trans: \_\_\_\_\_ gpd/ft U.S. 73 75 Coefficient Storage: .0002 2105 76 78

Coefficient Perm: 520 gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ 79

↑  
TRANS COURTS  
CLUB HOUSE  
WEST CAPITOL ST



WL 91 1/23/15

well-steel plate  
on ground surface  
w/ hole for tape

Well No.

G125