

Log Stripped  
(KTH)

9-185  
(October 1950)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

WELL SCHEDULE

#2

Date June 16, 1954 Field No. \_\_\_\_\_  
Record by William Powell Office No. H 53  
Source of data Mr. Richborn Mgr.

1. Location: State Miss. County Hinds

Map Jackson Quad

SE, SE, SE 1/4 SE 1/4 sec. 17 T 6 S R 1 W

2. Owner: Rex Brown Plant Address City

Tenant \_\_\_\_\_ Address \_\_\_\_\_

Driller Layne Central Address Hwy 80 W.

3. Topography \_\_\_\_\_

4. Elevation 354.0 ft. above AGL  
below

5. Type: Dug, drilled, driven, bored, jetted Jan. 1947

6. Depth: Rept. 750-800 ft. Meas. \_\_\_\_\_ ft.

7. Casing: Diam. 12 1/2 in., to 4 1/8 in., Type \_\_\_\_\_

Depth 595 ft., Finish 60.007 opening

8. Chief Aquifer Sparto 1st Sand From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Others 150.3 7/25/48

9. Water level 172 ft. meas. Jan. 1947 above  
227.9 7/2/59 Ref Pt. 2.8 ft. below surface

10. Pump: Type Turbine Capacity 500-600 G. M.

Power: Kind Electricity Horsepower 60

11. Yield: Flow \_\_\_\_\_ G. M., Pump 500-600 G. M., Meas., Rept. Est.

Drawdown 109.8 ft. after 36 hours pumping 536 (?) G. M.

12. Use: Dom., Stock, PS., RR., Ind. Irr., Obs. \_\_\_\_\_

Adequacy, permanence \_\_\_\_\_

13. Quality Very soft Temp 80 °F.

Taste, odor, color \_\_\_\_\_ Sample Yes  
NO


Unfit for \_\_\_\_\_

14. Remarks: (Log, Analyses, etc.) Log is about the same

as for #3

7 stage, 10" bowls, 20' suction.

288' total setting.



FD-plant

FEDERAL BUREAU OF INVESTIGATION

GEOLOGICAL SURVEY

LOG OF WELL State..... No.....

County.....

Sheet 1 of 2 Attach to form 9-185; record of casing, perforations, and other pertinent hydrologic data below

Material	Thick- ness (feet)	Depth (feet)
Top soil	4	4
clay, brittle	45	49
shale, blue		173
Sand rock		176
shale, sandy		184
Rock		187
shale sandy		248
shale, streaks of sand		326
Sand		348
shale, sandy		369
shale		408
shale, sandy		452
shale, gunmy		487
shale, hard		536
Rock	3	539

GEOLOGICAL SURVEY

LOG OF WELL State..... No.....

County.....

Sheet 2 of 2 Attach to form 9-185; record of casing, perforations, and other pertinent hydrologic data below

Material	Thick- ness (feet)	Depth (feet)
Shale, hard	6	545
Rock and shale	9	554
Sand and shale	42	596
Sand	98	694
Shale	5	699

T. D. 699' Test hole

well 664'



DEPARTMENT OF ENVIRONMENTAL QUALITY - OLWR-

PUBLIC SUPPLY WELLS PROJECT

GPS LOG

USER NAME (S): RLB DC DATE: 1-15-2003

UNIT DEQ #: \_\_\_\_\_ FILE #: \_\_\_\_\_

HEALTH DEPT. #: \_\_\_\_\_ ELEVATION: \_\_\_\_\_

USGS #: H053 OLWR #: MS-GW-02078

OWNER: Ms. Power + Light Co. QUAD: Jackson  
Rex Brown Plant

LOCATION: SE SE S 17 T 6N R 1E COUNTY Hinds

LOCATION DESCRIPTION: east from water tower

CASING DIA: 12" PUMP TYPE & SIZE: Tb. 60 h.p.

GPS FIELD LOCATION: LAT. 32.35631 LONG. 90.21010

GPS CORRECTED LOCATION: LAT. 32.2122.7 LONG. 90 12 36.4


REMARKS: motor has been pulled

pict. # 7

PO0840 PSD

# TopoZone.com

Target is 32.3563°N, 90.2101°W - JACKSON quad [Quad Info]



MS. POWER AND LIGHT/ REX BROWN PLANT #053, GN-02078  
RINDS CO. 1-15-2003

