

WELL SCHEDULE  
GEOLOGICAL SURVEY

Log stripped BE  
WATER RESOURCES DIVISION

U. S. DEPT. OF THE INTERIOR

PURCHED

MASTER CARD

Record by E. H. Boswell Source of data G.D. Date 3/27/56 7/30/70 Map

State 28 County (or town) 25

Latitude: 32<sup>deg</sup> 2<sup>min</sup> 46<sup>sec</sup> N Longitude: 09<sup>degrees</sup> 00<sup>min</sup> 08<sup>sec</sup> 10 Sequential number: 1

Lat-long accuracy: 2<sup>0</sup> T. 6<sup>0</sup> S. R. 2<sup>0</sup> W. Sec 19 NE, NW, SE, SW, E, W, S, N

Local well number: H065AB1906NO2E Other number: \_\_\_\_\_ B & M

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: PIETE LUTKEN Address: Jackson

Ownership: County, Fed Gov't, City, Corp or Co, (P) Private, State Agency, Water Dist \_\_\_\_\_ D

Use of water: Air cond, Bottling, Comm, Dewater, Power, Fire, (D) Dom, Irr, Med, Ind, P S, Rec, Stock, Instit, Unused, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_ H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, (W) Withdraw, Waste, Destroyed, \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 744 Meas. rept accuracy \_\_\_\_\_ 3

Depth cased; (first perf.) \_\_\_\_\_ ft 697 Casing type: \_\_\_\_\_; Diam. 4 1/2 in \_\_\_\_\_ 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, (S) perf., (T) ad. pt., (W) shored, (X) open hole, other \_\_\_\_\_ S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot, (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, other \_\_\_\_\_ H

Date Drilled: 1950? 950 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 36

Driller: Enloe Tool Co. name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent., (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb., other \_\_\_\_\_ J Deep \_\_\_\_\_ Shallow 40

Power (type): diesel, (ele) gas, nat gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ 1 S Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 8

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft below LSD 183 Accuracy: \_\_\_\_\_ D

Date meas: 1950? 50 Yield: \_\_\_\_\_ gpm 40 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. log Lead level 298' 8"

Well No.

H65

