

DOH # 0250056-01
OLWR # CW01716

FORM 9-1642
(1-68)

Well No.

H75

MAR 24 1975

No drivers Log WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RES

PUNCHED

MASTER CARD

Record by E. H. Baswell Source of data Jack Enloe Date 2/16/55 8/3/70 Map Ridgeland

MAR 18 1974

State C.D. County 28 (or town) 25

Latitude: 322232N Longitude: 0901313 Sequential number: 1

Lat-long accuracy: 2 T. 6 S. R. 1 Sec. 8 SE. NW. NE. SW.4

Local well number: H095AC0806N01E Other number: B & M

Local use: TRI-STATE BRICK Owner or name: Tri-State Brick & Tile

Owner or name: TRI-STATE BRICK Address: Jackson

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist. M

Use of water: (A) Air cond., (B) Bottling, (C) Comm., (D) Dewater., (E) Power, (F) Fire, (G) Dom., (H) Irr., (I) Mad. Ind., (J) P S, (K) Rec., (L) Stock, (M) Inact., (N) Unused, (O) Recharge, (P) Desal-P.S., (Q) Desal-other, (R) Other. N

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res., (E) Obs., (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed. M

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.:

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: period:

Aperture cards: SPRT

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 900 ft Meas. rept accuracy 10

Depth cased: ft Casing type: 10 1/4 in Diam.

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other. S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd. rot., (F) jetted, (G) percussion, (H) rotary, (I) air reverse, (J) trenching, (K) driven, (L) drive wash, (M) other. H

Date Drilled: 1955 955 Pump intake setting: ft

Driller: Enloe Tool Co. Jackson

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg., (K) turb., (L) other. J Deep Shallow

Power (type): (A) diesel, (B) elec., (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 5 7 Trans. or meter no.

Descrip. MP 368 ft above below LSD, Alt. MP

Alt. LSD: 370 Accuracy: 100

Water Level: 200 ft above below MP; Ft below LSD 200 Accuracy:

Date meas: 1955 55 Yield: 55 gpm Method determined:

Drawdown: ft Accuracy: Pumping period: hrs

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm

Sp. Conduct K x 10⁶ Temp. °F Date sampled

Taste, color, etc.

12/2/83
WL=239.6

6/15/94 LS/LJE 50gpm @ TDH 333

Well No.

H75

DEPARTMENT OF ENVIRONMENTAL QUALITY - OLWR
PUBLIC SUPPLY WELLS PROJECT

GPS LOG

USER NAME(S): STEWART/EVERETT DATE: 6/15/94
UNIT DEQ #: 84090 FILE #: B061520A
HEALTH DEPT. #: 250056-01 ELEV. 368
USGS #: -H751 OLWR #: GW1716
OWNER: TRI-STATE BRICK Quad: Ridgeland
LOCATION: NE SW S 8 T 6N R 1E COUNTY: HINDS
LOCATION DESCRIPTION: EAST OF CLAY SHED

CASING DIA: 4" PUMP TYPE & SIZE: SUBM.

GPS FIELD LOCATION: LAT. 32° 22.533' LONG. 90° 13.179'

GPS CORRECTED LOCATION: LAT. 32 22 32.22 LONG. 90 13 11.551
32 22 32.225 90.21987528
REMARKS: 32.37561805

**DEPARTMENT OF ENVIRONMENTAL QUALITY - OLWR-
PUBLIC SUPPLY WELLS PROJECT**

GPS LOG

USER NAME (S) : RLB DC DATE :5-14-2003

UNIT DEQ # : _____ FILE # : _____

HEALTH DEPT. # : _____ ELEVATION : _____

USGS # : H75

OLWR # GW-01716:

OWNER : TRI STATE BRICK

QUAD :RIDGELAND

LOCATION : S 8 T 6N R 1E COUNTY HINDS

LOCATION DESCRIPTION : IN BACK OF BRICK PLANT

CASING DIA : 10

PUMP TYPE & SIZE : ~~TB 75 HP~~

GPS FIELD LOCATION : LAT 32.37565.

LONG. 90.21983


GPS CORRECTED LOCATION : LAT

LONG.

REMARKS : POOO904

UNUSED

TRI STATE BRICK AND TILE H057 GW01716
HINDS CO. 5-14-2003 32.37565-90.21983



TopoZone.com

Target is 32° 22' 32"N, 90° 13' 11"W - RIDGELAND quad [Quad Info]

