

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by T.N. Shows Source of data Ralph Mitchell Date 3/19/58 8/11/70 Map \_\_\_\_\_

State G.D. County (or town) 28 Sequential number: 25 1

Latitude: 32<sup>deg</sup> 14<sup>min</sup> 55<sup>sec</sup> N Longitude: 090<sup>deg</sup> 17<sup>min</sup> 54<sup>sec</sup> W

Lat-long accuracy: 2<sup>70</sup> T. 5 S. R. 1 E. Sec 28, SE k, NE k, \_\_\_\_\_ k

Local well number: M065DA2805M01W Other number: \_\_\_\_\_ B & M

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: RALPH MITCHELL Address: \_\_\_\_\_

Ownership: (C) County, (F) Fed Gov't, (M) City, Corp or Co, (N) Private, (S) State Agency, (W) Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) P S, (P) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Recharge, (W) Desal-P S, (X) Desal-other, (Y) Other \_\_\_\_\_ H

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (O) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (S) Destroyed \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 885 Meas. rept \_\_\_\_\_ 6

Depth cased; (first perf.) \_\_\_\_\_ ft \_\_\_\_\_ Casing type: \_\_\_\_\_; Diam. 4 1/2 in \_\_\_\_\_ 4

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. (perf.), horiz. gallery, end, (H) open perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (S) other \_\_\_\_\_ 5

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot, (J) jetted, (P) air percuss, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (S) other \_\_\_\_\_ H

Date Drilled: 12/50 \_\_\_\_\_ 950 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 36 28

Driller: R.G. McNece \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent., (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (S) other \_\_\_\_\_ J Deep \_\_\_\_\_ 40 Shallow \_\_\_\_\_

Power (type): (nat) diesel, (elec) gas, (LP) gasoline, hand, gas, wind, H.P. \_\_\_\_\_ 5 \_\_\_\_\_ T Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ 350 Accuracy: (source) \_\_\_\_\_ top \_\_\_\_\_ 47

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft \_\_\_\_\_ LSD \_\_\_\_\_ 212 Accuracy: \_\_\_\_\_ \_\_\_\_\_ G

Date meas: 12/50 \_\_\_\_\_ 750 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ \_\_\_\_\_ Method determined \_\_\_\_\_ 61

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ 66 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ Chloride \_\_\_\_\_ ppm \_\_\_\_\_ Hard. \_\_\_\_\_ ppm \_\_\_\_\_ 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ \_\_\_\_\_ Date sampled \_\_\_\_\_ \_\_\_\_\_ 77 79

Taste, color, etc. one steel and 9 hoses

Well No.

1165

Latitude-longitude \_\_\_\_\_  
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

03 Section: \_\_\_\_\_

D Drainage Basin: \_\_\_\_\_

13T Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

system \_\_\_\_\_

series \_\_\_\_\_

TE aquifer, formation, group \_\_\_\_\_

2 Aquifer Thickness: \_\_\_\_\_ ft

Lithology: \_\_\_\_\_

UV Origin: \_\_\_\_\_

2

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER:

system \_\_\_\_\_

series \_\_\_\_\_

aquifer, formation, group \_\_\_\_\_

2 Aquifer Thickness: \_\_\_\_\_ ft

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

40' - Brass

Depth to consolidated rock: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_



Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft

Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

350' of 4"



Well No. \_\_\_\_\_

M65