

El Monahan 961-0652

Well No. 135

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by JAC Source of data D1 Log Date 3-3-70 Map \_\_\_\_\_

State 28 County (or town) 25

Latitude: 32<sup>deg</sup> 17<sup>min</sup> 45<sup>sec</sup> N Longitude: 09<sup>deg</sup> 01<sup>min</sup> 20<sup>sec</sup> W Sequential number: 2

Lat-long accuracy: 5<sup>20</sup> T. 5<sup>N</sup> S. R. 1<sup>W</sup> Sec 3 SE SW 1<sup>19</sup>

Local well number: N0350C0305NO1E Other number: Formerly B & M

Local use: 064 Owner or name: Heidelburg Hotel

Owner or name: LANDMARK GROUP Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other W

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (H) H

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: USGS

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

Sou. Central Bell will use water Ed Mooneyham 961-0652

PUNCHED and VERIFIED

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 712 ft Meas. rept 3 accuracy

Depth cased: 656 ft Casing type: \_\_\_\_\_; Diam. 10 1/8 in

Finish: porous concrete, gravel v. (perf.), (screen), (H) gravel v. (G) horiz. gallery, end, (S) perf., screen, sd. pt., shored, open hole, other 5

Method Drilled: (A) air bored, cable, dug, rot., (B) rot., (C) air, (D) percussion, (H) air, (J) reverse, (P) air, (R) reverse, (T) air, (V) drive, (W) wash, other 17

Date Drilled: 6/50 950 Pump intake setting: \_\_\_\_\_ ft

Driller: Layne Central Co. address S

Lift (type): (A) air, bucket, cent, jet, (B) multiple, (C) multiple, (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other X Deep  Shallow

Power (type): nat diesel, elec, gas, gasoline, hand, gas, wind; H.P. 2550  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 267.90 268 Accuracy: (source) 0

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft above LSD 147 Accuracy: \_\_\_\_\_

Date meas: 554 Yield: \_\_\_\_\_ gpm 300 Method determined

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron .04 ppm Sulfate 8.6 ppm Chloride 7.0 ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct 484 K x 10<sup>6</sup> 3 Temp. \_\_\_\_\_ °F Date sampled 157

Taste, color, etc. \_\_\_\_\_

6/23/81 WL=193.70

Well No. 135

