

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES

PUNCHED

MASTER CARD

Record by E.J. Harvey Source of data Mr. Barksdale Date 12/11/56 Map \_\_\_\_\_  
 State G.D. County 28 (or town) \_\_\_\_\_ Sequential number: 25  
 Latitude: 32<sup>deg</sup> 18<sup>min</sup> 32<sup>sec</sup> N Longitude: 09<sup>degrees</sup> 01<sup>min</sup> 20<sup>sec</sup> W Sequential number: 1  
 Lat-long accuracy: 2<sup>sec</sup> T. 5<sup>min</sup> S. R. 1<sup>min</sup> W. Sec 3, NE t. NE t. NE t. NW<sup>1/4</sup> B & M  
 Local well number: N040AB0305NOIE Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner of name: Southland Cotton Oil Co.  
 Owner or name: SOUTHLND C&O CO Address: 1000 N. Mill St.  
 Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_  N

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, (Ind), P S, Rec, \_\_\_\_\_  
 (S) Stock, (T) Instit, (U) Unused, (V) Recharge, (W) Desal-P S, (X) Desal-other, (Y) Other \_\_\_\_\_  N

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (I) Obs, (J) Oil-gas, (K) Recharge, (L) Test, (M) Unused, (N) Withdraw, (O) Waste, (P) Destroyed. \_\_\_\_\_  W

DATA AVAILABLE: Well data  Freq. W/L meas.: \_\_\_\_\_ Field aquifer char. \_\_\_\_\_  
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data: type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_ period: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_  
 Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft Meas. rept \_\_\_\_\_ accuracy \_\_\_\_\_  
 Depth cased: \_\_\_\_\_ ft Casing type: \_\_\_\_\_ Diam. 12 1/8 in \_\_\_\_\_  
 Finish: (C) porous concrete, (F) gravel w. concrete, (G) gravel w. (perf.), (H) gravel w. gallery, (I) horiz. end, (J) open end, (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other \_\_\_\_\_  
 Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) rotary, (I) reverse, (J) trenching, (K) driven, (L) drive wash, (M) other \_\_\_\_\_  
 Date Drilled: 5/51 9/51 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_  
 Driller: Layne Central Hilly Bowl  
 Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ Deep \_\_\_\_\_  
 Power (type): diesel, gas, gasoline, hand, gas, wind; H.P. 40 Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_  
 Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_  
 Date meas: 3/25/52 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

Well No. N40

