

Abandoned

FORM 9-1642 (1-68) DOH # 0250051-01 OLWR # GW01181

Well No. N66

WELL SCHEDULE

Log # 507

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED MAR 18 1974

MASTER CARD

Record by P. E. Grantham Source of data BOWL Date 12/4/61 8/13/70 Map Jackson

State G.D. County 28 (or town) Hinds Sequential number: 25

Latitude: 32 16 05 N Longitude: 09 01 12 8 Sequential number: 1

Lat-long accuracy: 2 5 1 15 SW SW SE/NE/SW/SW

Local well number: N066CC1505N01E Other number: B & M

Local use: JACKSON PRKNG CO Owner or name: Jackson Park, Inc.

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of water: (S) (T) (U) (V) (W) (X) (Y) (Z) AB M

Use of well: (A) (D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) W

DATA AVAILABLE: Well data 70 Freq. W/L meas.: 71 Field aquifer char. 72

Hyd. lab. data: 73

Qual. water data; type: SPRT 74

Freq. sampling: 75 Pumpage inventory: 76 period: 77

Aperture cards: 78 79

Log data: 80 81

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 759 ft Meas. rept accuracy 24 3

Depth cased: 699 ft Casing type: 25 26 Diam. 12x8 in 29 30

Finish: porous concrete, gravel w. concrete, gravel w. (screen), horiz. open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other 31

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot, (J) jetted, (P) percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other 32

Date Drilled: 12/61 961 Pump intake setting: 267'6" ft 36 38

Driller: Layne Central Jackson

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other 39 Deep 40

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; (LP) 100 41 Trans. or meter no. 42

Descrip. MP 43 above ft below LSD, Alt. MP 44

Alt. LSD: 280 Accuracy: (source) 47 4

Water Level 143 ft above below MP; Ft below LSD 173 Accuracy: 52 D

Date mese: 162 Yield: 510 gpm 53 55 Method determined 61

Drawdown: 62 ft Accuracy: 63 Pumping period 64 65

QUALITY OF WATER DATA: Iron 69 Sulfate 70 Chloride 71 Hard. 72

Sp. Conduct 400 K x 10⁶ 73 Temp. OC 280 Date sampled 4/24/78 678 74 76 77 79

Taste, color, etc. 78 79

Well No. N66

Well No. N66

Latitude-longitude _____
d m s N S d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD 03 Section: _____
Province: _____

D Drainage Basin: 137 Subbasin: _____

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (C) (E) (F) (R) (K) (L) (V) (U) (T) (S) (P) (Q) offshore, pediment, hillside, terrace, undulating, valley flat: _____

MAJOR AQUIFER: system _____ series TE aquifer, formation, group SP

Lithology: _____ Origin: 2 Aquifer Thickness: 728 ft

Length of well open to: _____ ft 60 Depth to top of: _____ ft 687

MINOR AQUIFER: system _____ series _____ aquifer, formation, group _____

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft

Length of well open to: _____ ft _____ Depth to top of: _____ ft _____

Intervals Screened: 8' S.S.

Depth to consolidated rock: _____ ft _____ Source of data: _____

Depth to basement: _____ ft _____ Source of data: _____



Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft _____ Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____

4/71 field
10" 715 gpm
20" 697
30 650
40 620
50 578
60 548
70 510

146'



Well No. _____

N66

DEPARTMENT OF ENVIRONMENTAL QUALITY - OLWR
PUBLIC SUPPLY WELLS PROJECT

GPS LOG

Hardin / Phillips 3/4/98
USER NAME(S): ~~Stewart / Everett~~ DATE: 2/7/99
UNIT DEQ #: _____ FILE #: ~~D070716A~~
HEALTH DEPT. #: 250051-01 ELEV. 280 8030421A
USGS #: N66 ✓ OLWR #: GW01181
OWNER: Jackson Packing Co. Jackson Quad
LOCATION: SW/SW S 15 T 5N R 1E COUNTY: HINDS
LOCATION DESCRIPTION: Across creek at back parking lot
for Pops Around the Corner on Galbafin
CASING DIA: _____ PUMP TYPE & SIZE: TURBINE 100 HP
GPS FIELD LOCATION: LAT. 32° 16' 13.3" N LONG. 90° 11' 29.8" W
GPS CORRECTED LOCATION: LAT. 32.270292 LONG. 90.192202
REMARKS: On old Swift Packing Co. property
~~well destroyed~~ Abandoned
Measured @ 100' feet from well
Now owned by Dickerson & Bowen

HINDS
N 66
1-19-62

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG

1-19 date well completed 62 LAYNE - CENTRAL firm name Hinds county well located

LANDOWNER:	description of formations encountered	from	to
Swift + Co. Jackson, Miss.	Yellow Clay	0	27
(mailing address)	Blue Clay	27	165
WELL LOCATION:	Common Shale	165	334
sec. 15 T. 5N R. 1E	Shale - stks. sand	334	488
(distance) miles (direction) of (nearest town)	Rocks	488	491
WELL PURPOSE: Ind.	Shale - stks. sand	491	517
(home, irrigation, municipal, industrial)	Fine Sand - stks. shale	517	539
WELL COMPLETION DATA:	Fine Sand	539	562
(1) diameter (inches) 12"	Shale - stks. sand	562	640
(2) total depth (feet) 765	Sandy Shale	640	682
(3) static water level (feet) 143 ^{below} above top of ground.	Sand	682	697
(4) casing (material) (depth) 105	Sandy Shale	697	708
12x8 (size) if telescope see back.	Med. Sand	708	770
(5) screen (length) (depth to top) 60' 705	Fine Sand - few stks. shale	770	810
8" (size) S.S. (material)	Shale	810	815
(6) pump (HP) (yield gpm)			
(type power)			
(7) electric log yes (yes or no)			
(organization running log)			
(8) how well bottom plugged BW			
DRILLERS REMARKS:			
Secured on 2-18-71			

CODED

**DEPARTMENT OF ENVIRONMENTAL QUALITY - OLWR-
PUBLIC SUPPLY WELLS PROJECT**

GPS LOG

USER NAME (S) : RLB PG DATE : 2-5-2003

UNIT DEQ # : _____ FILE # : _____

HEALTH DEPT. # : 250051-01 ELEVATION :

USGS # : N66 OLWR # : MS-GW-01181

OWNER : JACKSON PACKING WAS SWIFT AND CO.
QUAD : JACKSON

LOCATION : _____ S _____ T _____ R _____ COUNTY HINDS

LOCATION DESCRIPTION :

CASING DIA : 12 INC PUMP TYPE & SIZE :

GPS FIELD LOCATION : LAT. 32.27030 LONG. 90.19200

GPS CORRECTED LOCATION : LAT. LONG.

REMARKS : 1962, AB NR HOLD 230 NO CONTACT

HOD 245 NO CONTACT

PO00854 PSD

JACKSON PACKING CO. H-66 250051-01 AB/HR HINDS CO
276-2003



Jackson Packing
N66
MS-GW-01181

TopoZone.com

Target is 32.2703°N, 90.1920°W - JACKSON quad [Quad Info]

