

WRD Exp. (GW)  
April 1966

Well No. 030

WELL SCHEDULE

E Log # 278

**PUNCHED**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

Well unused; open hole

MASTER CARD

Record by C. Jensen Source of data MSG5 Date 10-23-67 Map CAYUGA  
 State Missi County 28 (or town) Hinds Sequential number: 25  
 Latitude: 32<sup>deg</sup> 12<sup>min</sup> 28<sup>sec</sup> N Longitude: 090<sup>deg</sup> 39<sup>min</sup> 35<sup>sec</sup> W  
 Lat-long accuracy: 2<sup>0</sup> T 14<sup>0</sup> S, R 5<sup>0</sup> W, Sec 1, NW, SE  
 Local well number: 030 hd 0114 N05E Other number: \_\_\_\_\_  
 Local use: 175278 Owner or name: Hubbard Wtr. Assn.  
 Owner or name: HUBBARD WIA Address: Hubbard Missi

Ownership: (C) County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ (S) \_\_\_\_\_ (W) \_\_\_\_\_ N

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, \_\_\_\_\_ (B) \_\_\_\_\_ (C) \_\_\_\_\_ (D) \_\_\_\_\_ (E) \_\_\_\_\_ (F) \_\_\_\_\_ (H) \_\_\_\_\_ (I) \_\_\_\_\_ (M) \_\_\_\_\_ (N) \_\_\_\_\_ (P) \_\_\_\_\_ (R) \_\_\_\_\_  
 (S) Stock, Instit, Unused, Recharge, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_ (T) \_\_\_\_\_ (U) \_\_\_\_\_ (V) \_\_\_\_\_ (W) \_\_\_\_\_ (X) \_\_\_\_\_ (Y) \_\_\_\_\_ (Z) \_\_\_\_\_ L

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, \_\_\_\_\_ (D) \_\_\_\_\_ (G) \_\_\_\_\_ (H) \_\_\_\_\_ (I) \_\_\_\_\_ (M) \_\_\_\_\_ (N) \_\_\_\_\_ (P) \_\_\_\_\_ (R) \_\_\_\_\_ (S) \_\_\_\_\_ (T) \_\_\_\_\_ (U) \_\_\_\_\_ (W) \_\_\_\_\_ (X) \_\_\_\_\_ (Z) \_\_\_\_\_ I

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: E Log 10-423 ft. Sampled. D (MBOUC) Run # 2 210-1130 USGS 2-2168 DE

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 324 ft Meas. 324 accuracy 6

Depth cased; (first perf.) 262 ft Casing type: Steel; Diam. 8.6 in

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open perf., screen, sd. pt., shored, open hole, other \_\_\_\_\_

Method drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air rot., (G) percussion, (H) rotary, (I) reverse, (J) trenching, (K) driven, (L) drive wash, (M) other \_\_\_\_\_

Date drilled: 9-15-67 Pump intake setting: 9.67 ft

Driller: Waterwells Inc. address \_\_\_\_\_

Lift (type): (A) air, bucket, cent, jet, (B) multiple, (C) multiple, (D) none, (E) piston, (F) rot, (G) submerg, (H) turb, (I) other \_\_\_\_\_ Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 220' Accuracy: Ten. CI 10

Water Level 94 ft above below MP; Ft below LSD 9.4 Accuracy: \_\_\_\_\_

Date meas: 967 Yield: 100 gpm Method determined 100

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ Sulfate \_\_\_\_\_ Chloride \_\_\_\_\_ Hard. \_\_\_\_\_  
 Sp. Conduct \_\_\_\_\_ K x 10 <sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

PUNCHED and VERIFIED  
ROLLA COMPUTATION BRANCH

Well No. 030

