

WELL SCHEDULE

E log # 546 PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by WTO Source of data Obs driller Date 8-28-74 Map UTICA WEST

State Miss 28 County (or town) Hinds 25

Latitude: 32<sup>0</sup>03<sup>51</sup>N Longitude: 09<sup>0</sup>03<sup>90</sup>4 Sequential number: 1

Lat-long accuracy: 20<sup>0</sup>T 30<sup>N</sup> 40<sup>E</sup> Sec 30, SE, SE, SW

Local well number: 8031DC3004N03W Other number: T.H. # 3 for Well # 2

Local use: 546 Owner or name: REEDTOWN WA

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist N

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) (T) (U) (V) (W) (X) (Y) (Z) U

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. Z

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  period:

Temperature cards:

Log data: E log 5'-398'

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 400 Meas. 3

Depth cased; (first perf.)            ft Casing type:           ; Diam.            in

Finish: (C) porous concrete, (F) gravel w. concrete, (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other           

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (Z) other           

Date Drilled: 8-28-74 9:7:4 Pump intake setting:            ft

Driller: Forest & Drlg. Co.

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other            Deep            Shallow           

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; H.P.            Trans. or meter no.           

Descrip. MP            Ft above LSD, Alt. MP           

Alt. LSD: 190 Accuracy: (source) topo

Water Level:            ft above below MP;            ft above below LSD Accuracy:           

Date meas:            Yield:            gpm Method determined           

Drawdown:            ft Accuracy:            Pumping period            hrs

QUALITY OF WATER DATA: Iron            ppm Sulfate            ppm Chloride            ppm Hard.            ppm

Sp. Conduct            K x 10<sup>6</sup> Temp.            °F Date sampled           

Taste, color, etc.           

Well No.

Latitude-longitude \_\_\_\_\_ N S  
d m s d m s

**DROGEOLOGIC CARD**

NAME AS ON MASTER CARD Physiographic Section: 03  
Province: \_\_\_\_\_

D Drainage Basin: 15L Subbasin: \_\_\_\_\_

Character of site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (C) (E) (F) (H) (K) (L) (S) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

OR IFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Geology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

OR IFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Geology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals screened: \_\_\_\_\_

Thickness to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Thickness to cement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Official serial: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Efficient discharge: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Efficient discharge: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

\_\_\_\_\_

