

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

330420089510901

Durbin

WL later

12/16/88

WL = 13.20

Part 1

MASTER CARD

Record by JAC Source of data Files Date 10/1/75 Map

State County (or town) Holmes 26

Latitude: 33° 04' 20" N Longitude: 089° 51' 09" W Sequential number: 1

Lat-long accuracy: 2' T 14 S, R 4 W, Sec 14, SE, NE

Local well number: T 0 1 4 D A I 4 1 4 N 0 4 E Other number: = 14 WSP 576

Local use: Owner or name:

Owner or name: I C R R Address:

Ownership: (C) County, (F) Fed Gov't, (M) City, (N) Corp or Co, (P) Private, (S) State Agency, (W) Water Dist N

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Reppure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other U

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (I) Obs, (P) Oil gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed U

DATA AVAILABLE: Well data 70 Freq. W/L meas.: 71 Field aquifer char. 72

Hyd. lab. data: 73

Qual. water data; type: 74

Freq. sampling: 75 Pumpage inventory: no, period: 76

Aperture cards: 77

Log data: 78 79

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 608 Meas. rept accuracy 24 6

Depth cased; (first perf.) 588 Casing type: 29 30

Finish: porous gravel w. concrete, (perf.), (screen), gallery, end, (C) (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) 31 5

Method Drilled: air bored, cable, dug, hyd jetted, air rot., (A) (B) (C) (D) (E) (F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) 32 4

Date Drilled: 1/5/59 Pump intake setting: 33 35 ft 36 38

Driller: name address

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other 39 Deep Shallow 40

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. Trans. or meter no. 41

Descrip. MP ft above below LSD, Alt. MP

Alt. LSD: 263 Accuracy: (source) 47 7

Water Level 6.77 ft above below MP; Ft below LSD 7 Accuracy: 52 4


Date meas: 10/5/59 Yield: Flow's gpm 210 Method determined 61

Drawdown: ft 62 Accuracy: 63 Pumping period 64 66

QUALITY OF WATER DATA: Iron ppm 69 Sulfate ppm 70 Chloride ppm 71 Hard. ppm 72

Sp. Conduct K x 10 72 Temp. °F 74 76 Date sampled 77 79


Taste, color, etc.



HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD 03 Section: _____
 Physiographic Province: _____
D Drainage Basin: 151C Subbasin: _____
 (D) (C) (E) (F) (R) (K) (L)
 Topo of well site: depression, stream channel, dunes, flat, hilltop, sink, swamp, _____
 (O) (P) (S) (T) (U) (V)
 offshore, pediment, hillside, terrace, undulating, valley flat _____
 MAJOR AQUIFER: _____ system _____ series TE _____ aquifer, formation, group T4
 Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft
US _____
 Length of well open to: _____ ft 20 Depth to top of: _____ ft _____
 MINOR AQUIFER: _____ system _____ series _____ aquifer, formation, group _____
 Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft
 Length of well open to: _____ ft _____ Depth to top of: _____ ft _____
 Intervals Screened: _____
 Depth to consolidated rock: _____ ft _____ Source of data: _____
 Depth to basement: _____ ft _____ Source of data: _____
 Surficial material: _____ Infiltration characteristics: _____
 Coefficient Trans: _____ gpd/ft _____ Coefficient Storage: _____
 Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____

Hand Made in casing @ 300'
 Well is 30' N and 5' E of
 (X) sign on N side of Cedar St.
 and 150' W of Love St.



Well No.

