

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by JCM Source of data Bowls Date 7-73 Map \_\_\_\_\_

State 28 County (or town) Humphreys Sequential number: 77

Latitude: 33° 15' 50" N Longitude: 09° 03' 31" W Sequential number: 1

Lat-Long accuracy: 2 T 160 S, R 30 E Sec 6, W 1, SW 1, NW 1

Local well number: C039CB0616N03W Other number: \_\_\_\_\_

Local use: 190 Owner or name: GORDON SHARP Address: Isola

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (W) W

DATA AVAILABLE: Well data 0 Freq. W/L meas.: 0 Field aquifer char. 0

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: 0 yes, no, period: \_\_\_\_\_

Temperature cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 862 ft Meas. rept accuracy 3

Depth cased: (first perf.) 842 ft Casing type: Galv; Diam. 2 in

Finish: porous concrete, gravel w. concrete, (perf.), (screen), gallery, end, (P) open perf., (S) screen, sd. pt., (W) shored, (X) open hole, (Z) other 5

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (H) rot., (J) percussion, (P) rotary, (R) reverse, (T) trenching, (U) driven, (W) drive wash, (Z) other H

Date Drilled: 972 Pump intake setting: \_\_\_\_\_ ft

Driller: Dyer name address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent., (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb., (Z) other 0 Deep 0 Shallow 40

Power (type): diesel, X gas, gasoline, hand, gas, wind; H.P. 1 Trans. or meter no. 5

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD 14 Accuracy: \_\_\_\_\_

Date meas: D72 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 03 **Section:** \_\_\_\_\_  
Drainage Basin: D 154 **Subbasin:** \_\_\_\_\_

Topo of well site: (D) (C) (E) (F) (H) (K) (L) depression, stream channel, dunes, flat, hilltop, sink, swamp, (0) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

**MAJOR AQUIFER:** \_\_\_\_\_ TE \_\_\_\_\_ SS \_\_\_\_\_  
system series aquifer, formation, group

Lithology: \_\_\_\_\_ S Origin: \_\_\_\_\_ 2 Aquifer Thickness: \_\_\_\_\_ 50 ft

Length of well open to: \_\_\_\_\_ ft 20 Depth to top of: \_\_\_\_\_ ft 812

**MINOR AQUIFER:** \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_  
system series aquifer, formation, group

Lithology: \_\_\_\_\_ \_\_\_\_\_ Origin: \_\_\_\_\_ \_\_\_\_\_ Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: 2" SS


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_  
C39