

GW14856

Silver City

PUNCHED  
MAR 21 1975

FORM 9-1642  
(1-68)

DOH-270007-01

Well No.

F6

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by MSmith Source of data \_\_\_\_\_ Date 7/70 Map SILVER CITY

State 6 County 28 (or town) Humphreys 36 27

Latitude: 33° 05' 49" N Longitude: 09° 02' 50" W Sequential number: 1

Lat-long accuracy: 3 T. 15 S. R. 3 E. Sec 34. SW 1/4, SW 1/4, SW 1/4, SE 1/4

Local well number: F006DC3415N03W Other number: \_\_\_\_\_ B & H

Local use: 129 Owner or name: SILVER CITY Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist M

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Mad, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other P

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. (W) W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: U.S.G.S. 3-16-71

Freq. sampling:  Pumpage inventory: no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 1100 Meas. rept \_\_\_\_\_ accuracy 6

Depth cased; (first perf.) \_\_\_\_\_ ft 1040 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 8

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. open perf., (P) screen, (S) sd. pt., (T) shored, (W) open hole, (X) other, (B) other S

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (H) air rot., (J) percuss, (P) rotary, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (B) other H

Date Drilled: 9-5-72 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: J.P. Minyard

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other T Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. 40 Trans. or meter no. V

Descrip. MP 108 above ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 110 Accuracy: (source) 3

Water Level: \_\_\_\_\_ ft above below MP; \_\_\_\_\_ ft above below LSD Accuracy: \_\_\_\_\_

Date meas: 1-7-6 Yield: \_\_\_\_\_ gpm 300 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct 320 K x 10<sup>6</sup> 3 Temp. 24.0 Date sampled 3-7-71

Taste, color, etc. Clear, no odor pH 7.9

10/23/89  
WLC  
33.56

PUNCHED and  
ROLLA COMPUTATION BRANCH

