

APR 7 1975
PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD E. H. BOSWELL

Record by G. J. DALSDY Source of data FILES Date 10-25-65 Map AUTER 15'

State MISSISSIPPI 28 County HUMPHREYS 27

Latitude: 33 05 13 N Longitude: 09 03 01 W Sequential number:

Lat-long accuracy: 30 T. 14 S. R. 3 Sec 4 NE NW SW

Local well number: J 0 0 1 A B 0 4 1 4 N 0 3 W Other number:

Local use: Owner or name: HOMER MARTIN

Address: SILVER CITY MISS.

Ownership: County, Fed Gov't, City, Corp or Co, Private State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom Irr, (H) Med, (I) P S, (J) Rec, (K) Stock, (L) Instit, (M) Unused, (N) Repressure, (O) Recharge, (P) Desal-P S, (Q) Desal-other, (R) Other ROW CROPS 100 ACRES USED LITTLE I

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed. W

DATA AVAILABLE: Well data 6 Freq. W/L meas.: 0 Field aquifer char.

Hyd. lab. data:

Qual. water data; type: U.S.G.S. 7-30-65

Freq. sampling: 0 Pumpage inventory: 10 period:

Aperture cards:

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 118 ft Meas. rept accuracy 3

Depth cased; (first perf.): 78 ft Casing type: STEEL; Diam. 12 in

Finish: porous concrete, gravel v. concrete, gravel v. (screen), horiz. gallery, open end, perfor. screen, sd. pt., shored, open hole, other P

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) jetted, (E) hyd rot, (F) percussion, (G) rotary, (H) reverse trenching, (I) driven, (J) wash, (K) other H

Date Drilled: 9 5 5 Pump intake setting: ft

Driller: MINYARD DRUG CO., GREENWOOD, MISS.

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple (cent.), (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other M Deep Shallow 40

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. Trans. or meter no.

Descrip. MP TOP OF CASING 10 ft above below LSD, Alt. MP 106

Alt. LSD: 105 Accuracy: (source) TOP 3

Water Level 21 ft above below MP; Ft below LSD 20 Accuracy:

Date meas: 6 6 5 Yield: 1000 gpm Method determined 9

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm Sp. Conduct K x 10 Temp. °F Date sampled

Taste, color, etc. TASTED OF IRON - CLEAR

Well No. J-1

