

GW10675?

Whiting Bayou

T/A O P 18183

1/81 WIO

Recorded by ND

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

Well No. C43  
E-Log No.  
County ISSOQUIMA

Date 7-27-83

GEN. SITE DATA

Site ID 3 2 4 7 4 0 0 9 1 0 6 3 0 0 1 R=0\* T=A\* 2=W\*

Data reliab. 3=U\* Report. agency 4=USGS\* Dist. 6=28\* 7=28\* Co. 8=055\*

Lat. Long. 9=3 2 4 7 4 0 10=0 9 1 0 6 3 0 Well No. 12=C 0 4 3

Location Irreg. 13=S W S S 2 2 T 1 1 N 2 0 9 W Alt. 16=1 0 2

Hyd. Unit (OWDC) 20= Date 21=0 4 1 0 9 1 1 9 8 2

Well use 23=W\* Water Use 24=Q\* Hole depth 27=1 1 6 Well depth 28=1 1 6

WL 30=2 0 Date 31=0 4 1 0 9 1 1 9 8 2 Source 33=D\*

Status 273= Project No. 5=

OWNER

R=158\* T=A\* Date 159# 0 4 1 0 9 1 1 9 8 2 Owner No.

Owner 161# FRANKLIN FARMS

FIELD CW

R=192\* T=A\* Date 193# Temp. 196#00010\* 197=

R=192\* T=A\* Date 193# Cond. 196#00095\* 197=

R=192\* T=A\* Date 193# pH 196#00400\* 197=

CONSTR.

R=58\* T=A\* 59# 1\* Date 60=0 4 1 0 9 1 1 9 8 2 Remarks

Drlg. 63=4 0 5 Name LARRY'S Method 65=R\* Finish 66=S\*

CASING

R=76\* T=A\* 59# 1\*

Top csng. 77# 0 Bot. csng. 78=7 6 Diam. 79# 1 6

R=76\* T=A\* 59# 1\*

Top csng. 77# Bot. csng. 78= Diam. 79#

OPENINGS

R=82\* T=A\* 59# 1\* Top 83# 7 6 Bottom 84=1 1 6

Type 85=S\* Diam. 87=1 6 Size 88=

R=82\* T=A\* 59# 1\* Top 83# Bottom 84=

Type 85= Diam. 87= Size 88=

YIELD

R=146\* T=A\* 147# 1\* Q 150=1 5 0 0 Q/S 272=

134 flows 146 pumped

R=42\* T= A \* Lift type 43# F \* Intake 44# \* Power type 45# 9 \*

Date 38= 04/09/1982 H.P. 46= \* \*

LIFT

R=198\* T= A \* Log 199# D \* Top 200= 0 \* Bot 201= 1/16 \*

R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \* \*

R=189\* T= A \* E Log No. 190# \* 191= M I S S I D I S T \*

LOGS

R=114\* T= A \* Year 115# \* 117= \* 120= \*

R=90\* T= A \* 256# 1 \* Top 91= 20 \* Bot 92= 1/16 \*

Unit ID 93= 112MRVA \* Name of Unit

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \* \*

Unit ID 93= \* Name of Unit

AQUIFERS

R=98\* T= A \* 99# 1 \* Unit tested 100= \* 103= \*

R=105\* T= A \* 99# 1 \* Test No. 106# \*

107= \* Transmissivity (gal/d)/ft

108= \* Hydraul. cond. (gal/d)/ft<sup>2</sup>

110= \* Storage coeff. Boundaries

HYDRAULICS

R=121\* T= \* Yr Begin 122# \* Network 258# \*

Water Level Data Collection (1)

0-20	Class		
20-40			
40-60			
60-116			

*Jasquena*  
 C 43  
 419182

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES  
 Bureau of Land and Water Resources  
 Southport Mall  
 P.O. Box 10631  
 Jackson, Mississippi 39209  
**WATER WELL DRILLERS LOG**

**CODED**

date well completed April 09, 1982 firm name Lewis well & pump county well located Jasquena

LANDOWNER: <u>Franklin James</u>	description of formations encountered	from	to
<u>Rolling Fork Mo.</u> (mailing address)			
WELL LOCATION: sec. <u>22</u> T <u>11</u> N R. <u>9</u> W <u>8</u> miles <u>5</u> of <u>Mayesville</u> (distance) (direction) (nearest town)	<u>0-20 clay</u> <u>20-40 fine sand</u> <u>40-60 med sand</u> <u>60-116 coarse sand</u>		
WELL PURPOSE: <u>fish tank</u> (home, irrigation, municipal, industrial)			
WELL COMPLETION DATA:			
(1) diameter (inches) <u>16"</u>			
(2) total depth (feet) <u>116'</u>			
(3) static water level (feet) <u>20</u> below top of ground.			
(4) casing <u>Steel</u> , <u>76'</u> (material) (depth) (size) if telescope see back.			
(5) screen <u>40'</u> , <u>76'</u> (length) (depth to top) <u>16"</u> , <u>Steel</u> (size) (material)			
(6) pump <u>60</u> <u>1500</u> (HP) (yield gpm) <u>Gas Power Unit</u> (type power)			
(7) electric log <u>NO</u> (yes or no) (organization running log)			
(8) how well bottom plugged <u>Steel Plate</u>			
DRILLERS REMARKS:			

**CODED**

DEPT. OF NATURAL RESOURCES  
 BUREAU OF LAND & WATER RESOURCES

JUN 30 1982  
**RECEIVED**



# Whiting Bayou Quad

Tallula Farms  
Landing Strip

25  
FISH  
FARM

PIPELINE

Tallula ①

LEVEE

Cem

St James

Ch

T/A D P 18183

1/81WTO

Recorded by ND  
Date 7-27-83

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

Well No. C43  
E-Log No. \_\_\_\_\_  
County ISSAQUENA

GEN. SITE DATA

Site ID 324740091063001 R=0\* T=A\* 2=W\*

Data reliab. 3-U\* Report. agency 4-USGS\* Dist. 6-28\* 7-28\* Co. 8-055\*

Lat. \_\_\_\_\_ Long. / 9-324740\* 10-0910630\* Well No. 12-C0431\*

Location 13-SESW S22 T11 N R09 W\* Alt. 16-102.\*

Hyd. Unit (OWDC) 20= Date 21-0410911982\*

Well use 23-W\* Water Use 24-Q\* Hole depth 27-116.\* Well depth 28-116.\*

WL 30-20.\* Date 31-0410911982\* Source 33-D\*

Status 273= Project No. 5=

OWNER

R=158\* T=A\* Date 159#0410911982\* Owner No. \_\_\_\_\_

Owner 161#FRANKLIN FARMS\*

FIELD CH

R=192\* T=A\* Date 193# Temp. 196#00010\* 197=

R=192\* T=A\* Date 193# Cond. 196#00095\* 197=

R=192\* T=A\* Date 193# pH 196#00400\* 197=

CONSTR.

R=58\* T=A\* 59#1\* Date 60-0410911982\* Remarks \_\_\_\_\_

Drlg. 63-405\* Name LARRY'S Method 65-R\* Finish 66-S\*

CASING

R=76\* T=A\* 59#1\*

Top csng. 77# 0.\* Bot. csng. 78-76.\* Diam. 79# 16.\*

R=76\* T=A\* 59#1\*

Top csng. 77# Bot. csng. 78= Diam. 79#

OPENINGS

R=82\* T=A\* 59#1\* Top 83# 76.\* Bottom 84-116.\*

Type 85-S\* Diam. 87-16.\* Size 88=

R=82\* T=A\* 59#1\* Top 83# Bottom 84=

Type 85= Diam. 87= Size 88=

YIELD

R= 146\* T=A\* 147# 1\* Q 150-1500.\* Q/S 272=

134 flows 146 pumped

LIFT

R=42\* T= A \* Lift type 43# T\* Intake 44= \* Power type 45= G\*

Date 38= 04/09/1982\* H.P. 46= \*

LOGS

R=198\* T= A \* Log 199# D\* Top 200= 0.\* Bot 201= 1/16.\*

R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*

R=189\* T= A \* E Log No. 190# \* 191= M I S S D I S T \*

ANAL.

R=114\* T= A \* Year 115# \* 117= \* 120= \*

AQUIFERS

R=90\* T= A \* 256# 1 \* Top 91= 20.\* Bot 92= 1/16.\*

Unit ID 93= 112MRVA \* Name of Unit

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*

Unit ID 93= \* Name of Unit

HYDRAULICS

R=98\* T= A \* 99# 1 \* Unit tested 100= \* 103= \*

R=105\* T= A \* 99# 1 \* Test No. 106# \*

107= \* Transmissivity (gal/d)/ft

108= \* Hydraul. cond. (gal/d)/ft<sup>2</sup>

110= \* Storage coeff. Boundaries

R=121\* T= \* Yr Begin 122# \* Network 258# \*

Water Level Data Collection (1)

0 = 210	Blank	
20 = 40	same	
40 = 60	same	
60 = 1/16	same	