

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD #

Record by Reed & Brown Source of data Well Date 2-7-39 Map \_\_\_\_\_

State 28 County (or town) Issaquah 28

Latitude: 32 43 10 N Longitude: 090 57 56 Sequential number: 1

Lat-long accuracy: 4 T 10 S R 8 E 15 W NE NE

Local well number: D002A1510N08W Other number: \_\_\_\_\_

Local use: 037 Owner or name: Francis Ricketts

Owner or name: F. RICKETTS Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Inatit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: USGS 8/39

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  no; period: \_\_\_\_\_

Future cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 1214 ft Meas. rept. accuracy 3

Depth cased: (first perf.) 1173 ft Casing type: \_\_\_\_\_; Diam. 3 1/2 in 3

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, end, horiz. open end, perf., screen, sd. pt., shored, open hole, other S

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (H) jetted, (J) air rot., (P) percussion, (R) reverse, (T) rotary, (V) trenching, (W) driven, (X) drive wash, (Z) other R

Date Drilled: 937 Pump intake setting: \_\_\_\_\_ ft 38

Driller: C M Journeay name address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent., (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb., (Z) other N Deep  Shallow

Power (type): nat, LP, diesel, elec, gas, gasoline, hand, gas, wind; H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 95 Accuracy: (source) \_\_\_\_\_

Water Level: 37.7 ft above below MP; Ft below LSD +38 Accuracy: \_\_\_\_\_


Date meas: 239 Yield: 80 when drilled 80 gpm Method determined A

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 82 Temp. 82 °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_



HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

E Drainage Basin: 1151 Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, junos, flat, hilltop, sink, swamp, (C) offshore, pediment, hillside, terrace, undulating, valley flat (E) (F) (H) (K) (L) \_\_\_\_\_

MAJOR AQUIFER: system \_\_\_\_\_ series TE aquifer, formation, group SS

Lithology: \_\_\_\_\_ Origin: 2 Aquifer Thickness: 71 ft

Length of well open to: \_\_\_\_\_ ft 410 Depth to top of: \_\_\_\_\_ ft AO4

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

Sd. 1040'-1214'



Well No.