

Well Plugged

TRANSMITTED FOR ADP GW118

1/81 WTO

Recorded by WTO

Date 10/24/84

U.S. GEOLOGICAL SURVEY
WATER RESOURCES DIVISION
MISSISSIPPI DISTRICT
WELL RECORD

2/86

Well No. A23

E-Log No. _____

County Itawamba

4

Site ID 34,255,4,0,8,8,24,04,01 R=0* T=A* 2=W* **Kirkville**

Data reliab. 3=C* Report. agency 4=USGS* Dist. 6=28* 7=28* Co. 8=057*

Lat. _____ Long. 9=34,255,4* 10=0,8,8,24,04* Well No. 12=A023*

NE, NE Location 13=SE, NE, S, 36 T, 0, 7, S, R, 0, 8, E* Alt. 16=3,25.7*

Hyd. Unit (OWDC) 20=0,3,1,6,0,1,0,1* Date 21=07,1,08,1,1975*

Well use 23=0* Water Use 24=U* Hole depth 27=23.* Well depth 28=23.*

WL 30=6.* Date 31=05,1,21,1,1985* Source 33=S*

Status 273=* Project No. 5=03,1,0,0*

R=158* T=A* Date 159#07,1,08,1,1975* Owner No. _____

Owner 161#USCE, GW118

R=192* T=A* Date 193# Temp. 196#00010* 197=

R=192* T=A* Date 193# Cond. 196#00095* 197=

R=192* T=A* Date 193# pH 196#00400* 197=

R=58* T=A* 59#1* Date 60=07,1,08,1,1975* Remarks _____

Drlg. 63= Name USCE Method 65=H* Finish 66=S*

R=76* T=A* 59#1* **PUC**

Top csgn. 77# 9.* Bot. csgn. 78= 18.* Diam. 79# 1.5*

R=76* T=A* 59#1*

Top csgn. 77# Bot. csgn. 78= Diam. 79#

R=82* T=A* 59#1* Top 83# 18.* Bottom 84= 23.*

Type 85=S* Diam. 87= 1.5* Size 88= .020*

R=82* T=A* 59#1* Top 83# Bottom 84=

Type 85= Diam. 87= Size 88=

R= T=A* 147#1* Q 150= Q/S 272=

GEN. SITE DATA
OWNER
FIELD QW
CONSTR.
CASING
OPENINGS
YIELD

R=42* T= A * Lift type 43# * Intake 44# * Power type 45# *

LIFT

Date 38= / / * H.P. 46= * *

R=198* T= A * Log 199# * Top 200= * * Bot 201= * *

LOGS

R=198* T= A * Log 199# * Top 200= * * Bot 201= * *

R=189* T= A * E Log No. 190# * 191= M I S S D I S T *

SS log

ANAL.

R=114* T= A * Year 115# * 117= * 120= *

AQUIFERS

R=90* T= A * 256# * Top 91= * * Bot 92= * *

Unit ID 93= 211 E.U.T.W. * Name of Unit Residual Eutaw (McShan)

R=90* T= A * 256# * Top 91= * * Bot 92= * *

Unit ID 93= * Name of Unit

HYDRAULICS

R=98* T= A * 99# 1 * Unit tested 100= * 103= *

R=105* T= A * 99# 1 * Test No. 106# *

107= * Transmissivity (gal/d)/ft

108= * Hydraul. cond. (gal/d)/ft²

110= * Storage coeff. Boundaries

R=121* T= A * Yr Begin 122# 1975 * Network 258 # *

15.5

Water Level Data Collection (1)

at MINNIE FULTON

M.P. = 4.00

3/5/85 = 4.20

5/2/85 = 5.60


8/20/85 = 8.04

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
Bureau of Land and Water Resources

P.O. Box 10631
Jackson, Mississippi 39289-0631
WATER WELL PLUGGING
DECOMMISSIONING

COUNTY WELL LOCATED ITAWAMBA		PERMIT NUMBER	
WELL NUMBER GW 118	CODED	NAME OF DRILLING FIRM	
DATE WELL PLUGGED 10-23-90			
NAME & MAILING ADDRESS OF LANDOWNER U.S. ARMY CORPS OF ENG DIST MOBILE P.O. BOX 2288 MOBILE AL 36628		NAME OF WELL CONTRACTOR WHO DRILLED THE WELL	
WELL LOCATION SEC TOWNSHIP RANGE SENEE 36 TO 7 SR OF E		NAME OF LANDOWNER WHEN WELL WAS DRILLED	
DISTANCE DIRECTION NEAREST TOWN		WELL DATA	
OTHER LANDMARK		Well Depth 23'	Casing Diameter (In.) 2"
WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc. GROUND WATER STUDY		Type of Casing PVC	Depth to Static Water Level 12.2 TOP OF PVC PIPE
		DATE WELL COMPLETED 10-23-90	

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED (AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE. MATERIAL USED IN PLUGGING, ETC.)
PORTLAND CEMENT MIX 1 BAG CEMENT TO 5.5 GALLONS WATER.
PUMPED 0.5 BAG D.I.G. C.F. GROUT MIX
NO 4" PROTECTOR PIPE - PUT 2" RISER PIPE AND GUARD
POST FLUSH WITH GROUT - LEFT WELL OPEN AND
RISER PIPE IN HOLE

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS

SIGNATURE DATE 10-23-90