

9-185  
(October 1950)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

In use 1955  
S.W.P.C. #


WELL SCHEDULE

Date August 4, 1954 Field No. A3  
Record by E.H. Boswell Office No. G26  
Source of data V.H. Pate Jr.

1. Location: State Miss County Itawamba  
Map Itawamba  
SW  $\frac{1}{4}$  NE  $\frac{1}{4}$  sec. 25 T 9 S R 8 E

2. Owner: Town of Fulton Address Fulton Miss  
Tenant \_\_\_\_\_ Address \_\_\_\_\_  
Driller Layne Central Address Memphis Tenn

3. Topography Hillside  
4. Elevation 320 ft. above  
below \_\_\_\_\_  
5. Type: Dug, drilled, driven, bored, jetted 19.45



6. Depth: Rept. 186 ft. Meas. \_\_\_\_\_ ft.  
7. Casing: Diam. 12 in., to 10 in., Type \_\_\_\_\_  
Depth 150 ft., Finish 10" x 39'

8. Chief Aquifer Tuscaloosa From 150 ft. to 189 ft.  
Others \_\_\_\_\_

9. Water level -30.04 ft. rept. Aug 4 1954 above 150  
meas. below surface  
which is \_\_\_\_\_ ft. above  
below surface

10. Pump: Type Turbine Capacity \_\_\_\_\_ G. M.  
Power: Kind Elec Horsepower 7 1/2

11. Yield: Flow \_\_\_\_\_ G. M., Pump 185 G. M., Meas., Rept. Est.  
Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ G. M.

12. Use: Dom., Stock PS, RR., Ind., Irr., Obs.  
Adequacy, permanence \_\_\_\_\_

13. Quality Analysis later. high iron Temp \_\_\_\_\_ °F.  
Taste, odor, color \_\_\_\_\_ Sample Yes  
Unfit for \_\_\_\_\_ No

14. Remarks: (Log, Analyses, etc.) well treated with  
Muriatic Acid to remove iron?  
from strainer Aug 4 1954. See back  
of schedule A1 for location