

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

DEC 19 1972

PUNCHED

MASTER CARD

Record by J. HARPELL Source of data BOWC Date 5/22/68 Map _____

State 28 County (or town) ITAWAMBA 29

Latitude: 34¹18²0³1⁴N Longitude: 08¹²8¹⁵3¹⁸2¹⁹4¹⁹6 Sequential number: 1

Lat-long accuracy: 7¹⁰ T. 9¹¹ S. R. 7¹² W. Sec 14 SE NW

Local well number: 6045DB1409507E Other number: _____ B & M

Local use: 021 Owner or name: _____

Owner or name: LEE LINDSEY Address: Dorsey

Ownership: (C) County, Fed Gov't, (M) City, Corp or Co, (N) Private, (P) State Agency, (S) Water Dist, (W) _____ P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) P S, (P) Rec, (R) _____

(S) Stock, (T) Instit, (U) Unused, (V) Reppure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other _____ H

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (I) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed _____ W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data: _____

Qual. water data; type: _____

Freq. sampling: _____ Pumpage inventory: yes, no, period: _____

Aperture cards: _____ yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 220 ft 220 Meas. rept accuracy 3

Depth cased: 42 ft 42 Casing type: _____; Diam. 4 in 4

Finish: (C) porous concrete, (F) gravel w. concrete, (G) gravel w. (perf.), (H) horz. screen, (I) open (perf.), (J) gallery, (K) shored, (L) open hole, (M) other _____ X

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) reverse, (G) percuss, (H) driven, (I) air wash, (J) other _____ H

Date Drilled: 6/65 9:6:5 Pump intake setting: _____ ft _____

Driller: Theodor Herman Well's Sup.

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other _____ S Deep Shallow

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; (LP) H.P. _____ S Trans. or meter no. _____

Descrip. MP _____ above ft below LSD. Alt. MP _____

Alt. LSD: 380 Accuracy: (source) topo 4

Water Level: 123 ft above below MP; 123 LSD Accuracy: _____ D

Date meas: 6/65 6:6:5 Yield: _____ gpm _____ Method determined _____

Drawdown: _____ ft _____ Accuracy: _____ Pumping period _____ hrs _____

QUALITY OF WATER DATA: Iron _____ ppm Sulfate _____ ppm Chloride _____ ppm Hard. _____ ppm

Sp. Conduct _____ K x 10⁶ Temp. _____ °F Date sampled _____

Taste, color, etc. _____

Well No.

6

ITAWAMBA MISSISSIPPI BOARD OF WATER COMMISSIONERS

G 45
6-25-65

CODED

WATER WELL DRILLERS LOG

CODED

Date: June 2, 1965 Driller: Herndon-Homan Well & Supply, Inc.
4 P. O. Box 12 County Itawamba
 SHANNON, MISSISSIPPI 38868

(1) Owner of Land: L. R. WILCOX
 (Name) Samuel White
 (Address) Box 1, Dossy, Miss

(2) Location SE 1/4, NW 1/4, Sec. 14 T 95 N E
 (distance) 3 miles SW of Monticello
 (direction) (Nearest Town)

(3) Topography: Hilly
 (Hilly) (Flat) (Level)

(4) Purpose of Well: DRILLER
 (Domestic Irrigation) Domestic
 (Municipal, Industrial, Other)

Description & Color of Materials Sand, Clay, Red Clay, Shell, etc.	Thick- ness Feet	Depth Feet
<u>Surface sand & clay</u>	<u>0</u>	<u>40</u>
<u>Blue clay</u>	<u>40</u>	<u>95</u>
<u>Surface</u>	<u>45</u>	<u>220</u>
<u>Bottom</u>	<u>220</u>	

Information upon completion of well:

(1) Diameter 4 inches.

(2) Total Depth 220 feet.

(3) Water Level 123 feet below top of ground.

(4) Cased to 42' 3", Size 4"

(5) Screen: Size _____, Length _____

(6) Were any formations sealed against pollution?
 yes, _____ no.


If YES depth of formation 40'

Why Surface & sand

Drillers Remarks:

118

CODED



Well No.

Mail this copy to Board of Water Commissioners 429 Miss. St. Jackson, Miss.